British Journal of Dermatology 2003; **149**: 1309–1326.

Author index

ABDELHAK, S. *see* CHARFEDDINE, C.
ABECK, D. *see* FESQ, H.
ABENI, D. *see* MAZZOTTI, E.
ABRAHA, R.S. *see* TIMMANN, C.
ADAMSKI, H., LE GALL, F., CARTRON, L., DAURIAC, C., LANCIEN, G., WECHSLER, J., OLLIVIER, I., LACHGAR, S., DOSQUET, C., COUDERT, M.C. & CHEVRANT-BRETON, J. Eruptive angiomatous lesions associated with graft-versus-host disease, 667
ADLER, Y.D. *see* HERRMANN, S.-M.
AGNER, T. *see* BRYLD, L.E.
AGNER, T. *see* SKOET, R.
AHLBORG, N. *see* MASJEDI, K.
AHN, B-K. *see* KIM, Y-C.
AH-WENG, A., NATARAJAN, S., VELANGI, S. & LANGTRY, J.A.A. Preoperative monitoring of warfarin in cutaneous surgery, 386
AH-WENG, A. *see* DAWN, G.
AIHARA, M. *see* AIHARA, Y.
AIHARA, Y., ITO, S-I., KOBAYASHI, Y., YAMAKAWA, Y., AIHARA, M. & YOKOTA, S. Carbamazepine-induced hypersensitivity syndrome associated with transient hypogammaglobulinaemia and reactivation of human herpesvirus 6 infection demonstrated by real-time quantitative polymerase chain reaction, 165
AITKEN, A. *see* MARTIN, C.J.
AKAMATSU, H. *see* NIWA, Y.
AKIMOTO, M., HARA, H. & SUZUKI, H. Metallosis of the skin mimicking malignant skin tumour, 653
AL FARES, S. *see* POWELL, A.M.
ALBERT, S. *see* HARMAN, K.E.
ALBERT, S. *see* POWELL, A.M.
ALCHORNE, M.M.A. *see* PORRO, A.M.
ALEXANDROFF, A. *see* LOO, W.J.
ALFAIOLI, B. *see* DE GIORGI, V.
ALLAM, J.-P. *see* LUDWIG, E.
ALLAN, E. *see* MOORE, J.V.
ALLEN, J. & WOJNAROWSKA, F. Linear IgA disease: the IgA and IgG response to dermal antigens demonstrates a chiefly IgA response to LAD285 and a dermal 180-kDa protein, 1055
ALLEN, J. & WOJNAROWSKA, F. Linear IgA disease: the IgA and IgG response to the epidermal antigens demonstrates that intermolecular epitope spreading is associated with IgA rather than IgG antibodies, and is more common in adults, 977
ALLEN, J. *see* CHUANG, Y.H.
ALMOND, S.L., CURLEY, R.K. & FELDBERG, L. Pseudoainhum in chronic psoriasis, 1064
ALTMEYER, P. *see* HOFFMANN, K.
ALTSCHULER, E.L. The first case of sarcoidosis treated with mycophenolate mofetil, 442
AMANO, S. *see* KADOYA, K.
AMOURETTI, M. *see* BENS, G.
ANDERSON, K.D. & SCERRI, G.V. A case of multiple skin cancers after occupational exposure to pesticides, 1088
ANDO, M. *see* TANAKA-KAGAWA, T.
ANDREASSI, L. *see* HOFFMANN, K.
ANHALT, G.J. *see* NIKOLSKAIA, O.V.
ANKOL, O.E. *see* MIMOUNI, D.
ANSCHUETZ, M. *see* HOFFMANN, K.
ANTONY, F.C. & HARLAND, C.C. Red ink tattoo reactions: successful treatment with the Q-switched 532 nm Nd:YAG laser, 94
ARCHER, C.B. *see* WADONDA-KABONDO, N.
ARGENZIANO, G. *see* FERRARA, G.
ARHEILGER, B. *see* GERBER, W.
ARIAS-PALOMO, D. *see* HERNÁNDEZ-MARTÍN, A.
ARKWRIGHT, P.D. & DAVID, T.J. Effect of *Mycobacterium vaccae* on atopic dermatitis in children of different ages, 1029
ARLET, P. *see* SAILLER, L.
ASADA, H. *see* SAITO, M.
ASADULLAH, K. *see* HENSEN, P.
ASAI, Y. *see* TSUTSUI, K.
ASHIDA, Y. & DENDA, M. Dry environment increases mast cell number and histamine content in dermis in hairless mice, 240
ASHTON, G.H.S. *see* MALLIPEDDI, R.
ASSAF, C. *see* BOSCHNAKOW, A.
ASSAF, C. *see* GEORGIEVA, J.
ASTUDILLO, L. *see* SAILLER, L.
AU, W.Y., MA, S.Y., CHENG, V.C.C., OOI, C.G.C. & LIE, A.K.W. Disseminated zoster, hyponatraemia, severe abdominal pain and leukaemia relapse: recognition of a new clinical quartet after bone marrow transplantation, 862
AUZERIE, V. *see* FISZENSON-ALBALA, F.

BACCOUCHE, D. *see* CHARFEDDINE, C.
BACHTER, D. *see* MICHL, C.
BAGOT, M. *see* THUMANN, P.
BAHADORAN, P. *see* HOFFMANN, K.
BALDA, B.-R. *see* MICHL, C.
BALKOU, P. *see* RIGOPOULOS, D.
BALKRISHNAN, R., McMICHAEL, A.J., CAMACHO, F.T., SALTZBERG, F., HOUSMAN, T.S., GRUMMER, S., FELDMAN, S.R. & CHREN, M.-M. Development and validation of a health-related quality of life instrument for women with melasma, 572
BARDAZZI, F., SAVOIA, F. & FANTI, P.A. Subungual lipoma, 418
BARDELLA, M.T., FREDELLA, C., TROVATO, C., ERMACORA, E., CAVALLI, R., SALADINO, V. & PRAMPOLINI, L. Long-term remission in patients with dermatitis herpetiformis on a normal diet, 968
BARLOW, R.J. *see* EXADAKTYLOU, D.
BARNES, L. *see* KANE, D.

© 2003 British Association of Dermatologists

BARRÉ, P. *see* BOSSET, S.
BARRY MONK. The Abuse of Man: an Illustrated History of Dubious Medical Experimentation. 1307
BASHIR, S.J. *see* ZHAI, H.
BÄTGE, B. *see* EISENBEISS, C.
BAUMERT, J. *see* SCHMID-WENDTNER, M-H.
BAZEX, J. *see* BELHADJALI, H.
BECK, M.H. *see* MARSLAND, A.M.
BEDLOW, A.J. *see* NEWELL, B.
BEITNER, H. Randomized, placebo-controlled, double blind study on the clinical efficacy of a cream containing 5% α-lipoic acid related to photoageing of facial skin, 841
BELHADJALI, H., MARGUERY, M.C., LAMANT, L., GIORDANO-LABADIE, F. & BAZEX, J. Photosensitivity in Sweet's syndrome: two cases that were photoinduced and photoaggravated, 675
BELL, H.K. *see* FARRAR, C.W.
BEN MOUSLI, R. *see* CHARFEDDINE, C.
BEN OSMAN, A. *see* CHARFEDDINE, C.
BENS, G., BORALEVI, F., BUZENET, C. & TAÏEB, A. Topical treatment of Netherton's syndrome with tacrolimus ointment without significant systemic absorption, 224
BENS, G., LAHARIE, D., BEYLOT-BARRY, M., VERGIER, B., NOBLESSE, I., BEYLOT, C. & AMOURETTI, M. Successful treatment with infliximab and methotrexate of pyostomatitis vegetans associated with Crohn's disease, 181
BENSUSSAN, A. *see* THUMANN, P.
BERGER, R.S., FU, J.L., SMILES, K.A., TURNER, C.B., SCHNELL, B.M., WERCHOWSKI, K.M. & LAMMERS, K.M. The effects of minoxidil, 1% pyrithione zinc and a combination of both on hair density: a randomized controlled trial, 354
BERGIN, O. *see* McARDLE, L.
BESSIS, D., CHRAIBI, H., GUILLOT, B. & GUILHOU, J-J. Erythema annulare centrifugum induced by generalized *Phthirus pubis* infestation, 1291
BEYLOT, C. *see* BENS, G.
BEYLOT-BARRY, M. *see* BENS, G.
BHOGAL, B. *see* POWELL, A.M.
BIANCHI, B. *see* PRIGNANO, F.
BIANCHI, L., SODA, R., DILUVIO, L. & CHIMENTI, S. Tazarotene 0·1% gel for psoriasis of the fingernails and toenails: an open, prospective study, 207
BIEBER, T. *see* LUDWIG, E.
BILBAO, R.M. *see* JOHNSTON, G.A.
BILSLAND, D. *see* DRUMMOND, A.
BIROL, A. *see* STEVENS, S.R.
BITTERLICH, W. *see* WEINLICH, G.
BLACK, M.M. *see* HARMAN, K.E.
BLACK, M.M. *see* POWELL, A.M.
BLECK, O. *see* MALLIPEDDI, R.
BLUM, A., SOYER, H.P., GARBE, C., KERL, H., RASSNER, G. & HOFMANN-WELLENHOF, R. The dermoscopic classification of atypical melanocytic naevi (Clark naevi) is useful to discriminate benign from malignant melanocytic lesions, 1159
BOCK, M., SCHMIDT, A., BRUCKNER, T. & DIEPGEN, T.L. Occupational skin disease in the construction industry, 1165
BODEMER, C. *see* MAHÉ, E.
BÖHM, M. *see* WILLEMS, M.
BOISSY, R.E. *see* THONG, H.-Y.
BOLBASIS, I. *see* RIGOPOULOS, D.
BOND JR, L.D. & KEOUGH, G.C. Neurogenic pruritus: a case of pruritus induced by transverse myelitis, 204
BONISH, B.K. *see* LE POOLE, I.C.
BONNET-DUQUENNOY, M. *see* BOSSET, S.
BONTÉ, F. *see* BOSSET, S.
BORALEVI, F. *see* BENS, G.
BORRADORI, L. *see* HOFMANN, S.C.
BOSCHNAKOW, A., MAY, T., ASSAF, C., TEBBE, B. & ZOUBOULIS, C.C. Ciclosporin A-induced sebaceous gland hyperplasia, 198
BOSSET, S., BONNET-DUQUENNOY, M., BARRÉ, P., CHALON, A., KURFURST, R., BONTÉ, F., SCHNÉBERT, S., LE VARLET, B. & NICOLAS, J.F. Photoageing shows histological features of chronic skin inflammation without clinical and molecular abnormalities, 826
BOTELLA-ESTRADA, R. *see* NAGORE, E.
BOUBAKER, S. *see* CHARFEDDINE, C.
BOUCHLAKA, C. *see* CHARFEDDINE, C.
BOURKE, JF. Dermatology: Pocket picture book
BOUWES BAVINCK, J.N. *see* HOEFNAGEL, J.J.
BOUWHUIS, S.A. *see* MEHRANY, K.
BOYE, T. *see* NICOL, I.
BOYLE, P. *see* SEVERI, G.
BRANDRUP, F. *see* HANSEN, L.K.
BRANDTZAEG, P. *see* MØRK, G.
BRATTIG, N. *see* TIMMANN, C.
BRAUN, R.P. *see* GEWIRTZMAN, A.J.
BRAUN-FALCO, M. & RING, J. Enhanced cytoplasmic expression of desmocollin 3 in epidermal rete ridges of Dowling–Degos syndrome, 1293
BRENNEISEN, P. *see* DISSEMOND, J.
BRINCKMANN, J. *see* EISENBEISS, C.
BRITTON, J. *see* CORK, M.J.
BRIVIBA, K. *see* DISSEMOND, J.
BROBERG, A., GRUVBERGER, B. & ISAKSSON, M. Dead Sea extract sold under-the-counter, 206
BRÖCKER, E.-B. *see* GOEBELER, M.
BRÖCKER, E.B. *see* GOEBELER, M.
BROOKE, R.C.C. *see* CHOUDRY, K.
BROUWER, J.T. *see* WILLEMS, M.
BRUCKNER, T. *see* BOCK, M.
BRUIJNZEEL-KOOMEN, C.A.F.M. *see* SANDERS, C.J.G.
BRUZE, M. *see* MASJEDI, K.
BRYLD, L.E., HINDSBERGER, C., KYVIK, K.O., AGNER, T. & MENNÉ, T. Risk factors influencing the development of hand eczema in a population-based twin sample, 1214
BU, L. *see* WEI, S.C.
BUCKLEY, D.A., RYCROFT, R.J.G., WHITE, I.R. & McFADDEN, J.P. The frequency of fragrance allergy in patch-tested patients increases with their age, 986
BULL, R. *see* EVANS, M.R.W.

BUNKER, C.B. *see* DAWE, S.A.
BUNKER, C.B. *see* SIDWELL, R.U.
BURDICK, A.E. *see* SULLIVAN, T.P.
BURG, G. *see* KAZAKOV, D.V.
BURROWS, N.P. *see* WOODROW, S.L.
BUTLER, L. *see* CORK, M.J.
BUTTNER, D.W. *see* TIMMANN, C.
BUZENET, C. *see* BENS, G.

CABAJ, A. *see* MAIER, H.
CALONJE, E. *see* EXADAKTYLOU, D.
CAMACHO, F.T. *see* BALKRISHNAN, R.
CAMBAZARD, F. *see* MEYRONET, D.
CAMERON, A.L., KIRBY, B. & GRIFFITHS, C.E.M. Circulating natural killer cells in psoriasis, 160
CAPPUGI, P. *see* PRIGNANO, F.
CARLI, P. *see* DE GIORGI, V.
CARLIE, G., NTUSI, N.B.A., HULLEY, P.A. & KIDSON, S.H. KUVA (khellin plus ultraviolet A) stimulates proliferation and melanogenesis in normal human melanocytes and melanoma cells *in vitro*, 707
CARLSON, J.A. *see* TOBIN, E.
CARSUZAA, F. *see* NICOL, I.
CARTRON, L. *see* ADAMSKI, H.
CAUHEPE, C. *see* SIMONETTA MOREAU, M.
CAULFIELD, J. *see* GRAHAM-BROWN, R.
CAVALLI, R. *see* BARDELLA, M.T.
CÉSARINI, J.-P. *see* HOFFMANN, K.
CEVC, G. *see* FESQ, H.
CHAHINE, G. *see* TOMB, R.R.
CHALON, A. *see* BOSSET, S.
CHAMBERLAIN, A.J. & DAWBER, R.P.R. Significance of iron status in hair loss in women, 428
CHAN, R. *see* EE, H.L.
CHAN, Y.H. *see* YOSIPOVITCH, G.
CHAN, Y.-S. *see* YANG, C.-H.
CHAO, S.C. *see* HSU, M.M.L.
CHARFEDDINE, C., MOKNI, M., BEN MOUSLI, R., ELKARES, R., BOUCHLAKA, C., BOUBAKER, S., GHEDAMSI, S., BACCOUCHE, D., BEN OSMAN, A., DELLAGI, K. & ABDELHAK, S. A novel missense mutation in the gene encoding SLURP-1 in patients with Mal de Meleda from northern Tunisia, 1108
CHEN, C.H. *see* YANG, C.H.
CHEN, G-S. *see* LAN, C-C.E.
CHEN, W. *see* LIN, J-H.
CHENG, V.C.C. *see* AU, W.Y.
CHEVRANT-BRETON, J. *see* ADAMSKI, H.
CHEW, A-L. *see* ZHAI, H.
CHIKENJI, T. *see* HASHIMOTO, Y.
CHIMEH, F.N. *see* HOLICK, M.F.
CHIMENTI, S. *see* BIANCHI, L.
CHIU, A. & KIMBALL, A.B. Topical vitamins, minerals and botanical ingredients as modulators of environmental and chronological skin damage, 681
CHIU, H-C. *see* THONG, H-Y.
CHO, S-H. *see* KIM, Y-C.
CHOUDRY, K., BROOKE, R.C.C., FARRAR, W. & RHODES, L.E. The effect of an iron chelating agent on protoporphyrin IX levels and phototoxicity in topical 5-aminolaevulinic acid photodynamic therapy, 124
CHRAIBI, H. *see* BESSIS, D.
CHREN, M.-M. *see* BALKRISHNAN, R.
CHRISTOFIDOU, E. *see* RIGOPOULOS, D.
CHU, C-Y. *see* KO, M-J.
CHUANG, Y.H., DEAN, D., ALLEN, J., DAWBER, R. & WOJNAROWSKA, F. Comparison between the expression of basement membrane zone antigens of human interfollicular epidermis and anagen hair follicle using indirect immunofluorescence, 274
CHUNG, J-C. *see* LAN, C-C.E.
CLAYTON, T.H., HARRISON, P.V., NICHOLLS, R. & DELAP, M. Topical tacrolimus for facial psoriasis, 419
CLIFF, S. *see* NEWELL, B.
CLOUTING, H. *see* MARTIN, C.J.
COLBACCHINI, P. *see* PASSERON, T.
COLECCHIA, B. *see* INGORDO, V.
COLLET VILLETTE, A.M. *see* NICOL, I.
COLLINS, M.J. *see* RITZ-TIMME, S.
CONCIA, E. *see* LANZAFAME, M.
CONDE, A. *see* GARCÍA-DOVAL, I.
CONILL, C., TOSCAS, I., MORILLA, I. & MASCARÓ JR, J.M. Radiation therapy as a curative treatment in extraocular sebaceous carcinoma, 441
COOK, S.A. *see* McKENNA, S.P.
COOPER, K.D. *see* STEVENS, S.R.
COOPER, S.M., TURNER, G.D.H., HOLLOWOOD, K., GATTER, K., HATTON, C., GRAY, D., RUSSELL-JONES, R. & WOJNAROWSKA, F. Primary cutaneous large cell CD30+ lymphoma in a renal transplant recipient, 426
COPCU, E. Can intramuscular lipoma have a post-traumatic origin?, 1084
CORK, M.J., BRITTON, J., BUTLER, L., YOUNG, S., MURPHY, R. & KEOHANE, S.G. Comparison of parent knowledge, therapy utilization and severity of atopic eczema before and after explanation and demonstration of topical therapies by a specialist dermatology nurse, 582
COSCOJUELA, C. *see* GILABERTE, Y.
COTTONI, F. *see* IMPOLA, U.
COUDERT, M.C. *see* ADAMSKI, H.
COX, N.H. & PALMER, J.G. Bowel-associated dermatitis–arthritis syndrome associated with ileo-anal pouch anastomosis, and treatment with mycophenolate mofetil, 1296
COX, N.H. Dermatological aspects of the NHS National Cancer Data Project, 1089
CRICKX, B. *see* FISZENSON-ALBALA, F.
CRICKX, B. *see* MAHÉ, E.
CRICKX, B. *see* MAHÉ, E.
CRUCES, M.J. *see* GARCÍA-DOVAL, I.
CRUMRINE, D. *see* RICE, R.H.
CUCCURU, M.A. *see* IMPOLA, U.
CUMMINS, D.L., MIMOUNI, D., RENCIC, A., KOUBA, D.J. & NOUSARI, C.H. Henoch–Schönlein purpura in pregnancy, 1282

CUNLIFFE, W.J. Acne at your fingertip, 916
CURLEY, R.K. *see* ALMOND, S.L.
CUSANO, F. *see* FERRARA, G.

D'ALESSANDRO, M. *see* MORLEY, S.M.
DAHAN, S. *see* SAILLER, L.
DAI, Y-S. *see* THONG, H-Y.
DALGARD, F., SVENSSON, Å., HOLM, J.Ø. & SUNDBY, J. Self-reported skin complaints: validation of a questionnaire for population surveys, 794
DASCHNER, F.D. *see* DETTENKOFER, M.
DAURIAC, C. *see* ADAMSKI, H.
DAVID, T.J. *see* ARKWRIGHT, P.D.
DAVIDOVITCH, N. *see* MIMOUNI, D.
DAWBER, R. *see* CHUANG, Y.H.
DAWBER, R.P.R. *see* CHAMBERLAIN, A.J.
DAWE, R.S., IBBOTSON, S.H., SANDERSON, J.B., THOMSON, E.M. & FERGUSON, J. A randomized controlled trial (volunteer study) of sitafloxacin, enoxacin, levofloxacin and sparfloxacin phototoxicity, 1232
DAWE, R.S. A quantitative review of studies comparing the efficacy of narrow-band and broad-band ultraviolet B for psoriasis, 669
DAWE, S.A., PHILLIPS, R., PORTER, W., FRANCIS, N.A. & BUNKER, C.B. Sweet's syndrome as a complication of radiotherapy for squamous carcinoma of the pharynx, 884
DAWN, G., URCELAY, M., AH-WENG, A., O'NEILL, S.M. & DOUGLAS, W.S. Effect of high-dose intravenous immunoglobulin in delayed pressure urticaria, 836
DE GIORGI, V., MASSI, D., TREZ, E., ALFAIOLI, B. & CARLI, P. Multiple pigmented trichoblastomas and syringocystadenoma papilliferum in naevus sebaceous mimicking a malignant melanoma: a clinical dermoscopic–pathological case study, 1067
DE LA TORRE, C. *see* GARCÍA-DOVAL, I.
DE PROST, Y. *see* MAHÉ, E.
DE RIE, M. *see* HORN, M.
DEAN, D. *see* CHUANG, Y.H.
DEE, L. *see* LE POOLE, I.C.
DEL POZO, L.J. *see* MIGUÉLEZ, A.
DELAP, M. *see* CLAYTON, T.H.
DELEURAN, M. *see* VESTERGAARD, C.
DELISLE, M.B. *see* SAILLER, L.
DELLAGI, K. *see* CHARFEDDINE, C.
DEN HOLLANDER, J.C. *see* WILLEMS, M.
DENDA, M. *see* ASHIDA, Y.
DERVAN, P.A. *see* McARDLE, L.
DESCAMPS, V. *see* FISZENSON-ALBALA, F.
DESCAMPS, V. *see* MAHÉ, E.
DESCAMPS, V. *see* MAHÉ, E.
DESSY, L.A. *see* ENA, P.
DETTENKOFER, M., WILSON, C., EBNER, W., NORGAUER, J., RÜDEN, H. & DASCHNER, F.D. Surveillance of nosocomial infections in dermatology patients in a German university hospital, 620
DIANZANI, C. *see* LANDI, D.
DÍAZ, N.L. *see* RUIZ, M.R.
DIEPGEN, T.L. *see* BOCK, M.
DIFFEY, B.L. A quantitative estimate of melanoma mortality from ultraviolet A sunbed use in the U.K., 578
DIFFEY, B.L. Factors affecting the choice of a ceiling on the number of exposures with TL01 ultraviolet B phototherapy, 428
DILUVIO, L. *see* BIANCHI, L.
DiPACE, C. *see* LANZAFAME, M.
DISSEMOND, J., SCHNEIDER, L.A., BRENNEISEN, P., BRIVIBA, K., WENK, J., WLASCHEK, M. & SCHARFFETTER-KOCHANEK, K. Protective and determining factors for the overall lipid peroxidation in ultraviolet A1-irradiated fibroblasts: *in vitro* and *in vivo* investigations, 341
DOBOZY, A. *see* OLÁH, J.
DOBSON, C.M. & PARSLEW, R.A. Exacerbation of psoriasis by thalidomide in Behçet's syndrome, 432
DOBSON, C.M. *see* FARRAR, C.W.
DOMENICI, L. *see* PRIGNANO, F.
DOSQUET, C. *see* ADAMSKI, H.
DOSSEH, A. *see* PASSERON, T.
DOUGLAS, W.S. *see* DAWN, G.
DOWARD, L.C. *see* McKENNA, S.P.
DRÉNO, B. *see* FOULC, P.
DRUMMOND, A., KANE, D. & BILSLAND, D. Legal claims in Scottish National Health Service Dermatology Departments 1989–2001, 111
DRYSDALE, S.B. *see* NEWELL, B.
DUMMER, R. *see* KAZAKOV, D.V.
DUNNILL, M.G.S. *see* WADONDA-KABONDO, N.
DUNSTON, S.M. *see* TOBIN, D.J.
DURAND-STOCCO, C. *see* FISZENSON-ALBALA, F.
DUVIC, M. *see* HANSON, M.

EADY, R.A.J. *see* MALLIPEDDI, R.
EASTY, D.J. *see* McARDLE, L.
EBERLE, J. *see* SCHMID-WENDTNER, M-H.
EBNER, W. *see* DETTENKOFER, M.
ECOIFFIER, M. *see* SAILLER, L.
EE, H.L., YOSIPOVITCH, G., CHAN, R. & ONG, B.H. Resolution of vulvitis circumscripta plasmacellularis with topical imiquimod: two case reports, 638
EEDY, D.J. *see* GRAHAM-BROWN, R.
EEDY, D.J. Colour Atlas of Dermoscopy, 2nd enlarged and completely revised Edition (2002), 680
EEDY, D.J. Surgical treatment of melanoma, 2
EEDY, D.J. Textbook of Facial Rejuvenation, 226
EEDY, D.J. An atlas of surface microscopy of pigmented skin lesions: dermoscopy, 1093
EEDY, D.J. Techniques in Dermatological Surgery, 1308
EICHMÜLLER, S. *see* USENER, D.
EISEN, A. *see* KULCZYCKI, A.
EISENBEISS, C., MARTINEZ, A., HAGEDORN-GREIWE, M., REINHARDT, D.P., BÄTGE, B. & BRINCKMANN, J. Reduced skin thickness: a new minor diagnostic criterion for the classical and hypermobility types of Ehlers–Danlos syndrome, 850
EL-AZHARY, R.A. *see* MEHRANY, K.

ELBE-BÜRGER, A. *see* MEINGASSNER, J.G.
ELIAS, P.M. *see* RICE, R.H.
ELKARES, R. *see* CHARFEDDINE, C.
EMTESTAM, L. *see* SARTORIUS, K.
ENA, P., MAZZARELLO, V. & DESSY, L.A. Ectopic plantar nail: a report of two cases, 1071
ENGLISH, D.R. *see* SEVERI, G.
ERBAZZI, A. *see* FERRARA, G.
ERDMANN, I. *see* FESQ, H.
ERMACORA, E. *see* BARDELLA, M.T.
ESCALAS, J. *see* MIGUÉLEZ, A.
EVANS, M.R.W., MAWDSLEY, J., BULL, R., LOCKWOOD, D.N.J., THANGARAJ, H., SHANAHAN, D. & RAJAKULASINGAM, K. Buruli ulcer in a visitor to London, 907
EXADAKTYLOU, D., KURWA, H.A., CALONJE, E. & BARLOW, R.J. Treatment of Darier's disease with photodynamic therapy, 606

FALLOWFIELD, M.E. *see* McARDLE, L.
FANTI, P.A. *see* BARDAZZI, F.
FARINOTTI, R. *see* FISZENSON-ALBALA, F.
FARRAR, C.W., BELL, H.K., DOBSON, C.M. & SHARPE, G.R. Facial and axillary acne agminata, 1076
FARRAR, W. *see* CHOUDRY, K.
FAVRE, M. *see* MAHÉ, E.
FEIER, L. *see* NICOL, I.
FELDBERG, L. *see* ALMOND, S.L.
FELDMAN, S.R. *see* BALKRISHNAN, R.
FERGUSON, J. *see* DAWE, R.S.
FERNÁNDEZ-FIGUERAS, M.T. *see* FUENTE, M.J.
FERRÁNDIZ, C. *see* FUENTE, M.J.
FERRARA, G., SARRACCO, G., ERBAZZI, A., ARGENZIANO, G. & CUSANO, F. Lymphatic spread of melanoma mimicking Kaposi-like angiodermatitis, 909
FESQ, H., LEHMANN, J., KONTNY, A., ERDMANN, I., THEILING, K., ROTHER, M., RING, J., CEVC, G. & ABECK, D. Improved risk–benefit ratio for topical triamcinolone acetonide in Transfersome® in comparison with equipotent cream and ointment: a randomized controlled trial, 611
FIMIANI, M. *see* RUBEGNI, P.
FISCHER, T. *see* HOFFMANN, K.
FISZENSON-ALBALA, F., AUZERIE, V., MAHE, E., FARINOTTI, R., DURAND-STOCCO, C., CRICKX, B. & DESCAMPS, V. A 6-month prospective survey of cutaneous drug reactions in a hospital setting, 1018
FITZGERALD, O. *see* KANE, D.
FLANAGAN, N. *see* LOO, W.J.
FLEUREN, G.J. *see* HOEFNAGEL, J.J.
FLÓREZ, A. *see* GARCÍA-DOVAL, I.
FORSLUND, O., LY, H., REID, C. & HIGGINS, G. A broad spectrum of human papillomavirus types is present in the skin of Australian patients with non-melanoma skin cancers and solar keratosis, 64
FORTUNE, D.G. *see* RICHARDS, H.L.
FOULC, P., N'GUYEN, J.M. & DRÉNO, B. Prognostic factors in Sézary syndrome: a study of 28 patients, 1152
FRAGOULI, E. *see* RIGOPOULOS, D.
FRAITAG, S. *see* MAHÉ, E.
FRANCIS, N. *see* SIDWELL, R.U.
FRANCIS, N.A. *see* DAWE, S.A.
FRANSSEN, M.E.J., SMIT, J.V., VAN ERP, P.E.J. & VAN DE KERKHOF, P.C.M. A multiparameter flow cytometric analysis of the effect of bexarotene on the epidermis of the psoriatic lesion, 506
FREDELLA, C. *see* BARDELLA, M.T.
FRITSCH, C. *see* HORN, M.
FRITSCH, P.O. *see* WEINLICH, G.
FROSCH, P.J. *see* HOFFMANN, K.
FU, J.L. *see* BERGER, R.S.
FUENTE, M.J., SABAT, M., ROCA, J., LAUZURICA, R., FERNÁNDEZ-FIGUERAS, M.T. & FERRÁNDIZ, C. A prospective study of the incidence of skin cancer and its risk factors in a Spanish Mediterranean population of kidney transplant recipients, 1221
FUJIMOTO, A. *see* TSUTSUI, K.
FUJIMOTO, N. & TAJIMA, S. Extensive fixed drug eruption due to the Japanese herbal drug 'kakkon-to', 1303
FUJITA, A. *see* HIGA, S.
FUJITA, N., KOBAYASHI, H., TSURUTA, D., SAKAGUCHI, I., YAMANAKA, K., KUTSUNA, H., TERAMAE, H., MIZUNO, N., IKEDA, N., KATO, Y., MINAMINO, M., KANEDA, K. & ISHII, M. Induction of cutaneous delayed hypersensitivity reactions in mice sensitized with intragastrically administered hapten: activation of Langerhans cells in the sensitization and elicitation phases, 475
FUKUDA, T. *see* TAKENAKA, H.
FUKUI, T. *see* RAHMAN, M.
FUKUSHIGE, T. *see* UCHINO, Y.
FURUKAWA, F. *see* UEDE, K.

GAMBICHLER, T. *see* HOFFMANN, K.
GAMO VILLEGAS, R., SOPENA BARONA, J., GUERRA TAPIA, A., VERGARA SANCHEZ, A., RODRÍGUEZ PERALTO, J.L. & IGLESIAS DÍEZ, L. Pustular generalized perforating granuloma annulare, 866
GARBE, C. *see* BLUM, A.
GARCÍA-DOVAL, I., FLÓREZ, A., DE LA TORRE, C., CONDE, A. & CRUCES, M.J. Transient verrucous hyperplasia after toxic epidermal necrolysis, 1082
GARCÍA-PRATS, M.D. *see* GILABERTE, Y.
GARDNER, S.H. *see* TOBIN, D.J.
GATTER, K. *see* COOPER, S.M.
GDALEVICH, M. *see* MIMOUNI, D.
GEHLEN, S. *see* HOFFMANN, K.
GEILEN, C.C. *see* GEORGIEVA, J.
GENTIL-PERRET, A. *see* MEYRONET, D.
GEORGALA, S. *see* RIGOPOULOS, D.
GEORGIEVA, J., ASSAF, C., STEINHOFF, M., TREUDLER, R., ORFANOS, C.E. & GEILEN, C.C. Bodybuilder oleoma, 1289
GEORGIOU, S. *see* STEFANAKI, I.M.
GERBER, W., ARHEILGER, B., HA, T.A., HERMANN, J. & OCKENFELS, H.M. Ultraviolet B 308-nm excimer laser treatment of psoriasis: a new phototherapeutic approach, 1250

GERHARDT, A. *see* USENER, D.
GESSER, B. *see* VESTERGAARD, C.
GEWIRTZMAN, A.J., SAURAT, J-H. & BRAUN, R.P. An evaluation of dermoscopy fluids and application techniques, 59
GHEDAMSI, S. *see* CHARFEDDINE, C.
GIAM, Y.C. *see* GOH, B.K.
GIANNOTTI, B. *see* PRIGNANO, F.
GILABERTE, Y., COSCOJUELA, C., GARCÍA-PRATS, M.D. & MAIRAL, M.P. Erythema multiforme associated with inflammatory ringworm on the hand, 1078
GILES, G.G. *see* SEVERI, G.
GILLIAM, A.C. *see* STEVENS, S.R.
GILMAN, T. A multicentre study of percentage change in venous leg ulcer area as a prognostic index of healing at 24 weeks, 896
GIORDANO-LABADIE, F. *see* BELHADJALI, H.
GLORER, E. *see* UGUREL, S.
GOEBELER, M., HERZOG, S., BRÖCKER, E.-B. & ZILLIKENS, D. Rapid response of treatment-resistant pemphigus foliaceus to the anti-CD20 antibody rituximab, 899
GOEBELER, M., SEITZ, C., ROSE, C., SITARU, C., JESCHKE, R., MARX, A., BRÖCKER, E.B. & ZILLIKENS, D. Successful treatment of linear IgA disease with salazosulphapyridine and intravenous immunoglobulins, 912
GOERDT, S. *see* UGUREL, S.
GOH, B.K., NG, P.P.L. & GIAM, Y.C. Severe bullous drug eruption due to sibutramine (Reductil®), 215
GOH, C.L. *see* YOSIPOVITCH, G.
GOLDING, J. *see* WADONDA-KABONDO, N.
GOLDSMITH, L.A. Clinical Snippets
GOOD, M.L. & HUSSEY, D.L. Minocycline: stain devil?, 237
GOTTARDI, W. *see* NAGL, M.
GRAHAM, B.S. *see* SATTER, E.K.
GRAHAM-BROWN, R., EEDY, D.J. & CAULFIELD, J. Introduction of research snippets, 1
GRAHAM-BROWN, R. Atlas of Clinical Dermatology, 445
GRAHAM-BROWN, R.A.C. *see* JOHNSTON, G.A.
GRAHAM-BROWN, R.A.C. *see* NICOLAOU, N.
GRANA, C. *see* SEIDENARI, S.
GRAY, D. *see* COOPER, S.M.
GRIFFITHS, C.E.M. *see* CAMERON, A.L.
GRIFFITHS, C.E.M. *see* McKENNA, S.P.
GRIFFITHS, C.E.M. *see* RICHARDS, H.L.
GROB, J.J. *see* NICOL, I.
GRØNHØJ LARSEN, C. *see* VESTERGAARD, C.
GROSSHANS, E. *see* TOMB, R.R.
GROSSIN, M. *see* MAHÉ, E.
GROTTO, I. *see* MIMOUNI, D.
GRUMMER, S. *see* BALKRISHNAN, R.
GRÜNENDICK, T. *see* HOFFMANN, K.
GRUVBERGER, B. *see* BRODERG, A.
GRUVBERGER, B. *see* MASJEDI, K.
GUDJONSSON, J.E., THORARINSSON, A.M., SIGURGEIRSSON, B., KRISTINSSON, K.G. & VALDIMARSSON, H. Streptococcal throat infections and exacerbation of chronic plaque psoriasis: a prospective study, 530
GUERRA TAPIA, A. *see* GAMO VILLEGAS, R.
GUILHOU, J-J. *see* BESSIS, D.
GUILLEN, C. *see* NAGORE, E.
GUILLET, G. *see* LAMI, M.-C.
GUILLOT, B. *see* BESSIS, D.
GUPTA, A.K. & KOHLI, Y. *In vitro* susceptibility testing of ciclopirox, terbinafine, ketoconazole and itraconazole against dermatophytes and nondermatophytes, and *in vitro* evaluation of combination antifungal activity, 296
GUSHI, A. *see* KANDA, A.
GUTIÉRREZ-ORTEGA, M.C. *see* HERNÁNDEZ-MARTÍN, A.
GYULAI, R. *see* OLÁH, J.

HA, T.A. *see* GERBER, W.
HADJADJ, S. *see* LAMI, M.-C.
HAGEDORN-GREIWE, M. *see* EISENBEISS, C.
HAMELMANN, C. *see* TIMMANN, C.
HANADA, K. *see* MIZUKI, D.
HANIOKA, N. *see* TANAKA-KAGAWA, T.
HANN, S.K. *see* LE POOLE, I.C.
HANSEN, L.K., BRANDRUP, F. & RASMUSSEN, K. Pigmentary mosaicism with mosaic chromosome 5p tetrasomy, 414
HANSON, M., HILL, A. & DUVIC, M. Bexarotene reverses alopecia in cutaneous T-cell lymphoma, 193
HARA, H. *see* AKIMOTO, M.
HARADA-SHIBA, M. *see* SAITO, M.
HARLAND, C.C. *see* ANTONY, F.C.
HARMAN, K.E., ALBERT, S. & BLACK, M.M. Guidelines for the management of pemphigus vulgaris, 926
HARMAN, K.E. *see* POWELL, A.M.
HARRIS, A.J., MUIR, P., WILLIAMS, A.T. & MacMAHON, E.M.E. Atypical exanthem: polymerase chain reaction spots the cause, 189
HARRISON, P.V. *see* CLAYTON, T.H.
HARTMANN, K., HERMES, B., RAPPERSBERGER, K., SEPP, N., MEKORI, Y.A. & HENZ, B.M. Evidence for altered mast cell proliferation and apoptosis in cutaneous mastocytosis, 554
HASHIGUCHI, T. *see* UCHINO, Y.
HASHIMOTO, K. *see* WADA, T.
HASHIMOTO, T. *see* OHSHIMA, Y.
HASHIMOTO, Y., SUGA, Y., CHIKENJI, T., MATSUBA, S., MIZOGUCHI, M., KAKUTA, M. & OGAWA, H. Immunohistological characterization of a Japanese case of pityriasis rotunda, 196
HATSELL, S.J., STEVENS, H., JACKSON, A.P., KELSELL, D.P. & ZVULUNOV, A. An autosomal recessive exfoliative ichthyosis with linkage to chromosome 12q13, 174
HATTA, N. *see* TSUTSUI, K.
HATTON, C. *see* COOPER, S.M.
HATTORI, H. Goblet cell predominant high-grade mucoepidermoid carcinoma of the index finger, 1091
HAUS, A. *see* PFÖHLER, C.
HAYAKAWA, A. *see* NARA, T.

HAYTON, M.J., STANLEY, J.K. & LOWE, N.J. A review of peripheral nerve blockade as local anaesthesia in the treatment of palmar hyperhidrosis, 447
HEAGERTY, A.I. *see* MORLEY, S.M.
HEFFERNAN, M. *see* KULCZYCKI, A.
HENSEN, P., ASADULLAH, K., WINDEMUTH, C., RÜSCHENDORF, F., HÜFFMEIER, U., STÄNDER, M., SCHMITT-EGENOLF, M., WIENKER, T.F., REIS, A. & TRAUPE, H. Interleukin-10 promoter polymorphism IL10.G and familial early onset psoriasis, 381
HENZ, B.M. *see* HARTMANN, K.
HERMANN, J. *see* GERBER, W.
HERMES, B. *see* HARTMANN, K.
HERMIDA, G. *see* HERNÁNDEZ-MARTÍN, A.
HERNANDEZ, C. *see* LE POOLE, I.C.
HERNÁNDEZ-MARTÍN, A., ARIAS-PALOMO, D., HERMIDA, G., GUTIÉRREZ-ORTEGA, M.C., RAMÍREZ-HERRERA, M., RODRÍGUEZ-VEGAS, M. & VELASCO, A. Oral pyoderma gangrenosum, 663
HERO, I. *see* PARR, D.G.
HERRMANN, S.-M., ADLER, Y.D., SCHMIDT-PETERSEN, K., NICAUD, V., MORRISON, C., PAUL, M. & ZOUBOULIS, Ch.C. The concomitant occurrence of multiple epidermal cysts, osteomas and thyroid gland nodules is not diagnostic for Gardner syndrome in the absence of intestinal polyposis: a clinical and genetic report, 877
HERTL, M. *see* HOFMANN, S.C.
HERTL, M. *see* LÜFTL, M.
HERZOG, S. *see* GOEBELER, M.
HIFT, R.J., TODD, G., MEISSNER, P.N. & KIRSCH, R.E. Administration of oral activated charcoal in variegate porphyria results in a paradoxical clinical and biochemical deterioration, 1266
HIGA, S., KOTANI, M., MATSUMOTO, M., FUJITA, A., HIRANO, T., SUEMURA, M., KAWASE, I. & TANAKA, T. Administration of anti-interleukin 18 antibody fails to inhibit development of dermatitis in atopic dermatitis-model mice NC/Nga, 39
HIGGINS, G. *see* FORSLUND, O.
HIGHET, A. *see* JACOBI, T.C.
HILDENBRAND, R. *see* UGUREL, S.
HILL, A. *see* HANSON, M.
HINDSBERGER, C. *see* BRYLD, L.E.
HIRANO, T. *see* HIGA, S.
HIRAO, T. *see* KUNII, T.
HO, H.-C. *see* YANG, C.-H.
HOCHHAUS, A. *see* UGUREL, S.
HOEFNAGEL, J.J., THIO, H.B., WILLEMZE, R. & BOUWES BAVINCK, J.N. Long-term safety aspects of systemic therapy with fumaric acid esters in severe psoriasis, 363
HOEFNAGEL, J.J., VERMEER, M.H., JANSEN, P.M., FLEUREN, G.J., MEIJER, C.J.L.M. & WILLEMZE, R. Bcl-2, Bcl-6 and CD10 expression in cutaneous B-cell lymphoma: further support for a follicle centre cell origin and differential diagnostic significance, 1183
HOFFMANN, K., GAMBICHLER, T., RICK, A., KREUTZ, M., ANSCHUETZ, M., GRÜNENDICK, T., ORLIKOV, A., GEHLEN, S., PEROTTI, R., ANDREASSI, L., NEWTON BISHOP, J., CÉSARINI, J.-P., FISCHER, T., FROSCH, P.J., LINDSKOV, R., MACKIE, R., NASHAN, D., SOMMER, A., NEUMANN, M., ORTONNE, J.P., BAHADORAN, P., PENAS, P.F., ZORAS, U. & ALTMEYER, P. Diagnostic and neural analysis of skin cancer (DANAOS). A multicentre study for collection and computer-aided analysis of data from pigmented skin lesions using digital dermoscopy, 801
HOFMANN, S.C., TAMM, K., HERTL, M. & BORRADORI, L. Diagnostic value of an enzyme-linked immunosorbent assay using BP180 recombinant proteins in elderly patients with pruritic skin disorders, 910
HOFMANN-WELLENHOF, R. *see* BLUM, A.
HOHL, D. *see* MORLEY, S.M.
HOHL, D. *see* RICE, R.H.
HOLICK, M.F., CHIMEH, F.N. & RAY, S. Topical PTH (1–34) is a novel, safe and effective treatment for psoriasis: a randomized self-controlled trial and an open trial, 370
HOLLAND, S.M. *see* TOBIN, E.
HOLLOWOOD, K. *see* COOPER, S.M.
HOLM, J.Ø. *see* DALGARD, F.
HONDA, M. *see* NOBEYAMA, Y.
HONECK, P., WEISS, C., STERRY, W. & RZANY, B. FOR THE GLADYS STUDY GROUP. Reproducibility of a four-point clinical severity score for glabellar frown lines, 306
HONG, H.S. *see* YANG, C.H.
HONG, H.-S. *see* YANG, C.-H.
HÖNIGSMANN, H. *see* MAIER, H.
HÖNIGSMANN, H. *see* TZANEVA, S.
HÖPFL, R. *see* NAGL, M.
HOPPER, J.L. *see* SEVERI, G.
HORN, M., WOLF, P., WULF, H.C., WARLOE, T., FRITSCH, C., RHODES, L.E., KAUFMANN, R., DE RIE, M., LEGAT, F.J., STENDER, I.M., SOLÉR, A.M., WENNBERG, A-M., WONG, G.A.E. & LARKÖ, O. Topical methyl aminolaevulinate photodynamic therapy in patients with basal cell carcinoma prone to complications and poor cosmetic outcome with conventional treatment, 1242
HORSTMANN, R.D. *see* TIMMANN, C.
HOSSEN, M.A., SUGIMOTO, Y., KAYASUGA, R. & KAMEI, C. Involvement of histamine H_3 receptors in scratching behaviour in mast cell-deficient mice, 17
HOSTYNEK, J.J. *see* ZHAI, H.
HOUSMAN, T.S. *see* BALKRISHNAN, R.
HSU, M.M.-L. & YANG, C.C. Uraemic pruritus responsive to broadband ultraviolet (UV) B therapy does not readily respond to narrowband UVB therapy, 888
HSU, M.M.L., CHAO, S.C. & LU, A.C.H. A novel missense mutation (Gln306His) in exon 7 of the *ED1* gene causing anhidrotic ectodermal dysplasia with prominent milia-like facial sebaceous papules, 443
HSU, R.C-C. *see* LAN, C-C.E.
HUANG, J-J. *see* LIN, J-H.

HUBER, M. *see* MORLEY, S.M.
HÜFFMEIER, U. *see* HENSEN, P.
HUI, C.Y. *see* YANG, C.H.
HULLEY, P.A. *see* CARLIE, G.
HUSSEY, D.L. *see* GOOD, M.L.
HUTCHINSON, P.E. *see* MACDONALD HULL, S.P.
HUTCHINSON, P.E. *see* SLADDEN, M.J.
IBBOTSON, S.H. *see* DAWE, R.S.

ICHIKI, Y. *see* KAMIYA, M.
IDE, F., MISHIMA, K. & SAITO, I. Solitary sclerotic fibroma of the lip, 433
IGLESIAS DÍEZ, L. *see* GAMO VILLEGAS, R.
IHN, H. *see* TSUNEMI, Y.
IIZUKA, H. *see* WADA, T.
IKEDA, N. *see* FUJITA, N.
IKEUCHI, A. *see* NARA, T.
IMBERT, P. *see* PASSERON, T.
IMPOLA, U., CUCCURU, M.A., MASALA, M.V., JESKANEN, L., COTTONI, F. & SAARIALHO-KERE, U. Preliminary communication: matrix metalloproteinases in Kaposi's sarcoma, 905
INAMADAR, A.C. & PALIT, A. Eruptive seborrhoeic keratosis in human immunodeficiency virus infection: a coincidence or 'the sign of Leser-Trélat'?, 435
INGORDO, V., NALDI, L., COLECCHIA, B. & LICCI, N. Prevalence of pityriasis versicolor in young Italian sailors, 1270
INOMATA, S. *see* KADOYA, K.
IOANNIDES, D. *see* RIGOPOULOS, D.
IRVINE, A.D. *see* RUSSI, D.C.
ISAKSSON, M. *see* BROBERG, A.
ISHII, M. *see* FUJITA, N.
ITO, A., KAZAMA, T. & ITO, M. A unique case of sarcoidosis: coexistence of sarcoidal granuloma and histological changes consistent with dermatomyositis, 430
ITO, M. *see* ITO, A.
ITO, S. *see* PARSAD, D.
ITO, S-I. *see* AIHARA, Y.
IWAO, F., SAWAMURA, D., YOKOTA, K. & SHIMIZU, H. Granulomatous blepharitis successfully treated with tranilast, 222

JABER, K. *see* MEYRONET, D.
JACKSON, A.P. *see* HATSELL, S.J.
JACOBI, T.C. & HIGHET, A. A clinical dilemma while treating hypercholesterolaemia in psoriasis, 1305
JAINTA, S. *see* SITARU, C.
JANSEN, P.M. *see* HOEFNAGEL, J.J.
JAPPE, U., SCHNUCH, A. & UTER, W. Frequency of sensitization to antimicrobials in patients with atopic eczema compared with nonatopic individuals: analysis of multicentre surveillance data, 1995–1999, 87
JEE, S.-H. *see* THONG, H.-Y.
JEMEC, G.B.E. *see* SARTORIUS, K.
JENNE, L. *see* THUMANN, P.
JESCHKE, R. *see* GOEBELER, M.
JESKANEN, L. *see* IMPOLA, U.
JINNO, H. *see* TANAKA-KAGAWA, T.
JOHNSTON, G.A., BILBAO, R.M. & GRAHAM-BROWN, R.A.C. The use of complementary medicine in children with atopic dermatitis in secondary care in Leicester, 566
JOHNSTON, G.A. *see* SLADDEN, M.J.
JOSEPH-HEIN, K. *see* SAILLER, L.

KÂ, A.S. *see* PASSERON, T.
KADOYA, K., AMANO, S., INOMATA, S., TSUNENAGA, M., MATSUZAKI, K., OSHIMA, H., TANABE, M., KUMAGAI, N. & NISHIYAMA, T. Evaluation of autologous cultured epithelium as replacement skin after tattoo excision: correlation between skin texture and histological features, 377
KAJII, N. *see* TOMIZAWA, K.
KAKUTA, M. *see* HASHIMOTO, Y.
KALOGEROMITROS, D. *see* RIGOPOULOS, D.
KAMEI, C. *see* HOSSEN, M.A.
KAMIYA, H. *see* KAMIYA, M.
KAMIYA, M., ICHIKI, Y., KAMIYA, H., YAMAMOTO, A. & KITAJIMA, Y. Detection of nonmelanoma skin cancer micrometastases in lymph nodes by using reverse transcriptase–polymerase chain reaction for keratin 19 mRNA, 998
KANDA, A., GUSHI, A. & KANZAKI, T. A case of multiple trichoepithelioma with an unusual appearance, 674
KANE, D., BARNES, L. & FITZGERALD, O. Topical corticosteroid treatment: systemic side-effects, 417
KANE, D. *see* DRUMMOND, A.
KANEDA, K. *see* FUJITA, N.
KANEKO, F. *see* SAKUMA-OYAMA, Y.
KANEKO, T. *see* MIZUKI, D.
KANEKURA, T., UCHINO, Y. & KANZAKI, T. A case of malignant atrophic papulosis successfully treated with nicotine patches, 660
KANTOR, J. & MARGOLIS, D.J. Kantor and Margolis, reply to Dr Gilman, 897
KANWAR, A.J. *see* PARSAD, D.
KANZAKI, T. *see* KANDA, A.
KANZAKI, T. *see* KANEKURA, T.
KANZAKI, T. *see* UCHINO, Y.
KAPRIO, J. *see* MILÁN, T.
KARISTINOU, A. *see* RIGOPOULOS, D.
KARLBERG, A-T. *see* MASJEDI, K.
KARVONEN, S-L. *see* MALMINEN, M.
KATALINIC, A., KUNZE, U. & SCHÄFER, T. Epidemiology of cutaneous melanoma and non-melanoma skin cancer in Schleswig-Holstein, Germany: incidence, clinical subtypes, tumour stages and localization (epidemiology of skin cancer), 1200
KATO, Y. *see* FUJITA, N.
KATOH, N. *see* NARA, T.
KATOULIS, A.C. *see* RIGOPOULOS, D.
KATSAMBAS, A.D. *see* RIGOPOULOS, D.
KAUFMANN, R. *see* HORN, M.

KAWA, Y. *see* YAMASAKI, E.
KAWAGUCHI, M., TAKEDA, H., MITSUHASHI, Y. & KONDO, S. Eccrine syringofibroadenoma with diffuse plantar hyperkeratosis, 885
KAWAHIRA, K. *see* NIWA, Y.
KAWASE, I. *see* HIGA, S.
KAWASHIMA, T. *see* NISHIE, W.
KAYASUGA, R. *see* HOSSEN, M.A.
KAZAKOV, D.V., MENTZEL, T., BURG, G., DUMMER, R. & KEMPF, W. Blastic natural killer-cell lymphoma of the skin associated with myelodysplastic syndrome or myelogenous leukaemia: a coincidence or more?, 869
KAZAMA, T. *see* ITO, A.
KAZZAZ, G.A.A. *see* SANDERS, C.J.G.
KE, M.S. *see* STEVENS, S.R.
KELSELL, D.P. *see* HATSELL, S.J.
KEMMEREN, M.H. *see* WILLEMS, M.
KEMPF, W. *see* KAZAKOV, D.V.
KENNEDY, C.T.C. *see* WADONDA-KABONDO, N.
KEOHANE, S.G. *see* CORK, M.J.
KEOUGH, G.C. *see* BOND JR, L.D.
KERDEL, F.A. *see* SULLIVAN, T.P.
KERL, H. *see* BLUM, A.
KERL, K., NEGRO, F. & LÜBBE, J. Cutaneous side-effects of treatment of chronic hepatitis C by interferon alfa and ribavirin, 656
KIDSON, S.H. *see* CARLIE, G.
KIKUCHI, K. *see* KUNII, T.
KIM, Y-C., LEE, M-G., CHO, S-H., LEE, J-H., LEE, D-H. & AHN, B-K. The relation between p53 expression and physical site of melanoma: an immunohistochemical study, 1299
KIMBALL, A.B. *see* CHIU, A.
KINACIYAN, T. *see* MAIER, H.
KIRBY, B. *see* CAMERON, A.L.
KIRIHARA, T., MATSUMOTO-MIYAI, K., NAKAMURA, Y., SADAYAMA, T., YOSHIDA, S. & SHIOSAKA, S. Prolonged recovery of ultraviolet B-irradiated skin in neuropsin (*KLK8*)-deficient mice, 700
KIRSCH, R.E. *see* HIFT, R.J.
KIRSNER, R.S. *see* SULLIVAN, T.P.
KIRTSCHIG, G. *see* SITARU, C.
KISHIMOTO, S. *see* NARA, T.
KISHIMOTO, S. *see* TAKENAKA, H.
KITAJIMA, Y. *see* KAMIYA, M.
KLEIN, W. *see* KOUBA, D.J.
KLEIN-TOMB, L. *see* TOMB, R.R.
KLINGEL, R. *see* LÜFTL, M.
KO, M-J. & CHU, C-Y. Topical tacrolimus therapy for localized bullous pemphigoid, 1079
KOBAYASHI, H. *see* FUJITA, N.
KOBAYASHI, Y. *see* AIHARA, Y.
KOCHEVAR, I.E. *see* NGUYEN, B-C.
KODAMA, H. *see* SAITO, M.
KOHLI, Y. *see* GUPTA, A.K.
KOIVUKANGAS, V. *see* MALMINEN, M.
KONDO, S. *see* KAWAGUCHI, M.
KONG, X.Y. *see* WEI, S.C.
KONOHANA, I. *see* UCHINO, Y.
KONTNY, A. *see* FESQ, H.
KOROM, I. *see* OLÁH, J.
KOSKENVUO, M. *see* MILÁN, T.
KOTANI, M. *see* HIGA, S.
KOUBA, D.J., MIMOUNI, D., RENCIC, A. & NOUSARI, C.H. Mucocutaneous sarcoidosis treated with mycophenolate mofetil, 442
KOUBA, D.J., OWENS, N.M., MIMOUNI, D., KLEIN, W. & NOUSARI, C.H. Milia en plaque: a novel manifestation of chronic cutaneous lupus erythematosus, 424
KOUBA, D.J. *see* CUMMINS, D.L.
KOWALSKY, E. *see* MEINGASSNER, J.G.
KREHAN, H. *see* MAIER, H.
KREUTZ, M. *see* HOFFMANN, K.
KRISTINSSON, K.G. *see* GUDJONSSON, J.E.
KUBO, M. *see* TSUTSUI, K.
KUENZLI, S. & SAURAT, J-H. Peroxisome proliferator-activated receptors in cutaneous biology, 229
KULCZYCKI, A., NELSON, M., EISEN, A. & HEFFERNAN, M. Scleromyxoedema: treatment of cutaneous and systemic manifestations with high-dose intravenous immunoglobulin, 1276
KUMAGAI, N. *see* KADOYA, K.
KUMAR, B. *see* PARSAD, D.
KUNII, T., HIRAO, T., KIKUCHI, K. & TAGAMI, H. Stratum corneum lipid profile and maturation pattern of corneocytes in the outermost layer of fresh scars: the presence of immature corneocytes plays a much more important role in the barrier dysfunction than do changes in intercellular lipids, 749
KUNZE, U. *see* KATALINIC, A.
KUO, H.W. *see* YANG, C.H.
KURFURST, R. *see* BOSSET, S.
KUROKAWA, I., NISHIJIMA, S., KUSUMOTO, K., SENZAKI, H., SHIKATA, N. & TSUBURA, A. Trichilemmoma: an immunohistochemical study of cytokeratins, 99
KURWA, H.A. *see* EXADAKTYLOU, D.
KUSAKABE, N. *see* SAITO, M.
KUSUMOTO, K. *see* KUROKAWA, I.
KUTSUNA, H. *see* FUJITA, N.
KYVIK, K.O. *see* BRYLD, L.E.

LA CESA, A. *see* LANDI, D.
LACHGAR, S. *see* ADAMSKI, H.
LACOUR, J.P.H. *see* PASSERON, T.
LAHARIE, D. *see* BENS, G.
LAHAYE, T. *see* UGUREL, S.
LAMANT, L. *see* BELHADJALI, H.
LAMI, M.-C., HADJADJ, S. & GUILLET, G. Hair loss in three patients with acromegaly treated with octreotide, 655
LAMMERS, K.M. *see* BERGER, R.S.
LAN, C-C.E., YU, H-S., LIAO, W-T., HSU, R.C-C., CHUNG, J-C., TSAI, K-B. & CHEN, G-S. Clear cell eccrine porocarcinoma with extensive cutaneous metastasis and peripheral lymphocyte dysfunction, 1059
LANCIEN, G. *see* ADAMSKI, H.

LANDI, D., SANTINI, D., VINCENZI, B., LA CESA, A., DIANZANI, C. & TONINI, G. Dramatic improvement of psoriasis with gemcitabine monotherapy, 1306
LANDTHALER, M. *see* SCHIFFNER, R.
LANE, E.B. *see* MORLEY, S.M.
LANGTRY, J.A.A. *see* AH-WENG, A.
LANZAFAME, M., MAZZI, R., DiPACE, C., TREVENZOLI, M., CONCIA, E. & VENTO, S. Unusual, rapidly growing ulcerative genital mass due to herpes simplex virus in a human immunodeficiency virus-infected woman, 216
LAPINS, J. *see* SARTORIUS, K.
LARKÖ, O. *see* HORN, M.
LAUMEIER, I. *see* RITZ-TIMME, S.
LAUZURICA, R. *see* FUENTE, M.J.
LE GALL, F. *see* ADAMSKI, H.
LE POOLE, I.C., STENNETT, L.S., BONISH, B.K., DEE, L., ROBINSON, J.K., HERNANDEZ, C., HANN, S.K. & NICKOLOFF, B.J. Expansion of vitiligo lesions is associated with reduced epidermal CDw60 expression and increased expression of HLA-DR in perilesional skin, 739
LE VARLET, B. *see* BOSSET, S.
LEE, D-H. *see* KIM, Y-C.
LEE, E.-S. *see* LEE, J.-Y.
LEE, J.C. *see* YANG, C.H.
LEE, J.-Y. & LEE, E.-S. Erythema multiforme-like lesions in syphilis, 658
LEE, J.Y-Y. *see* LIN, J-H.
LEE, J-H. *see* KIM, Y-C.
LEE, M-G. *see* KIM, Y-C.
LEGAT, F.J. *see* HORN, M.
LEHMANN, J. *see* FESQ, H.
LEIGH, I.M. *see* MORLEY, S.M.
LEPPING, B. *see* TIMMANN, C.
LEVELL, N. *see* WALL, S.J.
LI, H., SUN, X-K. & ZHU, X-J. Four novel mutations in *ATP2C1* found in Chinese patients with Hailey–Hailey disease, 471
LI, M. *see* WEI, S.C.
LI, X.J., WU, Q.X. & ZENG, X.S. Nontuberculous mycobacterial cutaneous infection confirmed by biochemical tests, polymerase chain reaction-restriction fragment length polymorphism analysis and sequencing of *hsp65* gene, 642
LIAO, W-T. *see* LAN, C-C.E.
LICCI, N. *see* INGORDO, V.
LIE, A.K.W. *see* AU, W.Y.
LIEW, K.V.S. *see* TANG, M.B.Y.
LIM, D.S. & MURPHY, G.M. High-level ultraviolet A photoprotection is needed to prevent doxycycline phototoxicity: lessons learned in East Timor, 213
LIN, J-H., CHEN, W., LEE, J.Y-Y., YAN, J-J. & HUANG, J-J. Disseminated cutaneous *Mycobacterium haemophilum* infection with severe hypercalcaemia in a failed renal transplant recipient, 200
LINDSEY, N.J. *see* TOBIN, D.J.
LINDSKOV, R. *see* HOFFMANN, K.
LIOU, L.-B. *see* YANG, C.-H.
LOCKWOOD, D.N.J. *see* EVANS, M.R.W.
LOO, W.J., ALEXANDROFF, A. & FLANAGAN, N. Bupropion and generalized acute urticaria: a further case, 660
LOWE, N.J. *see* HAYTON, M.J.
LU, A.C.H. *see* HSU, M.M.L.
LÜBBE, J. *see* KERL, K.
LUDWIG, E., ALLAM, J.-P., BIEBER, T. & NOVAK, N. New treatment modalities for granuloma faciale, 634
LÜFTL, M., STAUBER, A., MAINKA, A., KLINGEL, R., SCHULER, G. & HERTL, M. Successful removal of pathogenic autoantibodies in pemphigus by immunoadsorption with a tryptophan-linked polyvinylalcohol adsorber, 598
LÜFTL, M. *see* THUMANN, P.
LUGER, T. *see* STÄNDER, H.
LUTHER, P.B. *see* TOBIN, D.J.
LY, H. *see* FORSLUND, O.

MA, C. *see* SALAMA, M.E.
MA, S.Y. *see* AU, W.Y.
McARDLE, L., BERGIN, O., FALLOWFIELD, M.E., DERVAN, P.A. & EASTY, D.J. Tyrosine phosphate in melanoma progression, 289
McBRIDE, S.R., WALKER, P. & REYNOLDS, N.J. Optimizing the frequency of outpatient short-contact dithranol treatment used in combination with broadband ultraviolet B for psoriasis: a randomized, within-patient controlled trial, 1259
McCREDIE, M.R.E. *see* SEVERI, G.
Mac DONALD HULL, S.P., WOOD, M.L., HUTCHINSON, P.E., SLADDEN, M. & MESSENGER, A.G. Guidelines for the management of alopecia areata, 692
McFADDEN, J.P. *see* BUCKLEY, D.A.
McGRATH, J.A. *see* MALLIPEDDI, R.
McKENNA, K.E. *see* WOO, W.K.
McKENNA, S.P., COOK, S.A., WHALLEY, D., DOWARD, L.C., RICHARDS, H.L., GRIFFITHS, C.E.M. & VAN ASSCHE, D. Development of the PSORIQoL, a psoriasis-specific measure of quality of life designed for use in clinical practice and trials, 323
MACKIE, R. *see* HOFFMANN, K.
MacMAHON, E.M.E. *see* HARRIS, A.J.
McMICHAEL, A.J. *see* BALKRISHNAN, R.
MADAULE, S. *see* SAILLER, L.
MAGUES, J.P. *see* SIMONETTA MOREAU, M.
MAHÉ, E., BODEMER, C., DESCAMPS, V., MAHÉ, I., CRICKX, B., DE PROST, Y. & FAVRE, M. High frequency of detection of human papillomaviruses associated with epidermodysplasia verruciformis in children with psoriasis, 819
MAHÉ, E., DESCAMPS, V., GROSSIN, M., FRAITAG, S. & CRICKX, B. CD30+ T-cell lymphoma in a patient with psoriasis treated with ciclosporin and infliximab, 170
MAHE, E. *see* FISZENSON-ALBALA, F.
MAHÉ, I. *see* MAHÉ, E.
MAHMOOD, M.N. *see* SALAMA, M.E.
MAIBACH, H.I. *see* ZHAI, H.
MAIER, H., SPIEGEL, W., KINACIYAN, T., KREHAN, H., CABAJ, A., SCHOPF, A. & HÖNIGSMANN, H. The oak

processionary caterpillar as the cause of an epidemic airborne disease: survey and analysis, 990
MAIN, C.J. *see* RICHARDS, H.L.
MAINKA, A. *see* LÜFTL, M.
MAIRAL, M.P. *see* GILABERTE, Y.
MALLIPEDDI, R., BLECK, O., MELLERIO, J.E., ASHTON, G.H.S., EADY, R.A.J. & MCGRATH, J.A. Dilemmas in distinguishing between dominant and recessive forms of dystrophic epidermolysis bullosa, 810
MALMINEN, M., KOIVUKANGAS, V., PELTONEN, J., KARVONEN, S-L., OIKARINEN, A. & PELTONEN, S. Immunohistological distribution of the tight junction components ZO-1 and occludin in regenerating human epidermis, 255
DE MAN, R.A. *see* WILLEMS, M.
MANGSCHAU, L. *see* MØRK, G.
MARFO, Y. *see* TIMMANN, C.
MARGOLIS, D.J. *see* KANTOR, J.
MARGUERY, M.C. *see* BELHADJALI, H.
MARSDEN, J.R. *see* WHITTAKER, S.J.
MARSLAND, A.M. & BECK, M.H. Cold urticaria responding to systemic ciclosporin, 214
MARTÍN, A. *see* MIGUÉLEZ, A.
MARTIN, C.J., CLOUTING, H. & AITKEN, A. A study of the correction factor for ultraviolet phototherapy dose measurements made by the indirect method, 1227
MARTINEZ, A. *see* EISENBEISS, C.
MARX, A. *see* GOEBELER, M.
MASALA, M.V. *see* IMPOLA, U.
MASCARÓ JR, J.M. *see* CONILL, C.
MASJEDI, K., AHLBORG, N., GRUVBERGER, B., BRUZE, M. & KARLBERG, A-T. Methylisothiazolinones elicit increased production of both T helper (Th) 1- and Th2-like cytokines by peripheral blood mononuclear cells from contact allergic individuals, 1172
MASSI, D. *see* DE GIORGI, V.
MATSUBA, S. *see* HASHIMOTO, Y.
MATSUMOTO, M. *see* HIGA, S.
MATSUMOTO, Y. *see* OHSHIMA, Y.
MATSUMOTO-MIYAI, K. *see* KIRIHARA, T.
MATSUYOSHI, N. *see* ZHOU, S.
MATSUZAKI, K. *see* KADOYA, K.
MAWDSLEY, J. *see* EVANS, M.R.W.
MAY, T. *see* BOSCHNAKOW, A.
MAYR, V. *see* WEINLICH, G.
MAZZARELLO, V. *see* ENA, P.
MAZZI, R. *see* LANZAFAME, M.
MAZZOTTI, E., PICARDI, A., SAMPOGNA, F., SERA, F., PASQUINI, P., ABENI, D. AND THE IDI MULTIPURPOSE PSORIASIS RESEARCH ON VITAL EXPERIENCES (IMPROVE) STUDY GROUP Sensitivity of the Dermatology Life Quality Index to clinical change in patients with psoriasis, 318
MEHRANY, K., EL-AZHARY, R.A., BOUWHUIS, S.A. & PITTELKOW, M.R. Cutaneous T-cell lymphoma and atopy: is there an association?, 1013
MEIJER, C.J.L.M. *see* HOEFNAGEL, J.J.
MEINGASSNER, J.G., KOWALSKY, E., SCHWENDINGER, H., ELBE-BÜRGER, A. & STÜTZ, A. Pimecrolimus does not affect Langerhans cells in murine epidermis, 853
MEISSNER, P.N. *see* HIFT, R.J.
MEKORI, Y.A. *see* HARTMANN, K.
MELLERIO, J.E. *see* MALLIPEDDI, R.
MENNÉ, T. *see* BRYLD, L.E.
MENTZEL, T. *see* KAZAKOV, D.V.
MESSENGER, A.G. *see* MACDONALD HULL, S.P.
MESTRE, F. *see* MIGUÉLEZ, A.
MEYRONET, D., JABER, K., GENTIL-PERRET, A., CAMBAZARD, F. & MISERY, L. Decreased CGRP staining in alopecia areata, 422
MICHALANY, N. *see* PORRO, A.M.
MICHL, C., STARZ, H., BACHTER, D. & BALDA, B.-R. Sentinel lymphonodectomy in nonmelanoma skin malignancies, 763
MIGUÉLEZ, A., MESTRE, F., MARTÍN, A., ESCALAS, J. & DEL POZO, L.J. Allergic reaction to intralesional Celestone Cronodose®, 894
MILAGRES, A.C.P. *see* MILAGRES, S.P.
MILAGRES, S.P., SANCHES JR, J.A., MILAGRES, A.C.P. & VALENTE, N.Y.S. Histopathological and immunohistochemical assessment of acquired ichthyosis in patients with human T-cell lymphotropic virus type I-associated myelopathy, 776
MILÁN, T., VERKASALO, P.K., KAPRIO, J. & KOSKENVUO, M. Lifestyle differences in twin pairs discordant for basal cell carcinoma of the skin, 115
MIMOUNI, D., ANKOL, O.E., DAVIDOVITCH, N., GDALEVICH, M., ZANGVIL, E. & GROTTO, I. Seasonality trends of scabies in a young adult population: a 20-year follow-up, 157
MIMOUNI, D. *see* CUMMINS, D.L.
MIMOUNI, D. *see* KOUBA, D.J.
MINAMINO, M. *see* FUJITA, N.
MISAWA, J. *see* OHSHIMA, A.
MISERY, L. *see* MEYRONET, D.
MISHIMA, K. *see* IDE, F.
MITSUHASHI, Y. *see* KAWAGUCHI, M.
MIYACHI, Y. *see* ZHOU, S.
MIYAGAWA, S. *see* SAITO, M.
MIZOGUCHI, M. *see* HASHIMOTO, Y.
MIZOGUCHI, M. *see* YAMASAKI, E.
MIZUKI, D., KANEKO, T. & HANADA, K. Successful treatment of topical photodynamic therapy using 5-aminolevulinic acid for plane warts, 1087
MIZUNO, N. *see* FUJITA, N.
MOC, I. *see* THUMANN, P.
MOKNI, M. *see* CHARFEDDINE, C.
MOORE, J.V. & ALLAN, E. Pulsed ultrasound measurements of depth and regression of basal cell carcinomas after photodynamic therapy: relationship to probability of 1-year local control, 1035
MORILLA, I. *see* CONILL, C.
MØRK, G., SCHJERVEN, H., MANGSCHAU, L., SØYLAND, E. & BRANDTZAEG, P. Proinflammatory cytokines

upregulate expression of calprotectin (L1 protein, MRP-8/MRP-14) in cultured human keratinocytes, 484
MORLEY, S.M., D'ALESSANDRO, M., SEXTON, C., RUGG, E.L., NAVSARIA, H., SHEMANKO, C.S., HUBER, M., HOHL, D., HEAGERTY, A.I., LEIGH, I.M. & LANE, E.B. Generation and characterization of epidermolysis bullosa simplex cell lines: scratch assays show faster migration with disruptive keratin mutations, 46
MOROHASHI, M. *see* NAKAMURA, M.
MORRISON, C. *see* HERRMANN, S.-M.
MORTIMER, P.S. *see* NEWELL, B.
MOSTOW, E.N. *see* STEVENS, S.R.
MOTA, G.R. *see* PORRO, A.M.
MUIR, P. *see* HARRIS, A.J.
MUNRO, C.S. *see* RICE, R.H.
MUNTE, K. *see* WILLEMS, M.
MURAKAMI, S. *see* WADA, T.
MURPHY, G. *see* WALL, S.J.
MURPHY, G.M. *see* LIM, D.S.
MURPHY, R. *see* CORK, M.J.

NAGAYAMA, T. *see* OHNISHI, T.
NAGL, M., NGUYEN, V.A., GOTTARDI, W., ULMER, H. & HÖPFL, R. Tolerability and efficacy of N-chlorotaurine in comparison with chloramine T for the treatment of chronic leg ulcers with a purulent coating: a randomized phase II study, 590
NAGORE, E., SEVILA, A., SANMARTIN, O., BOTELLA-ESTRADA, R., REQUENA, C., SERRA-GUILLEN, C., SANCHEZ-PEDREÑO, P. & GUILLEN, C. Excellent response of basal cell carcinomas and pigmentary changes in xeroderma pigmentosum to imiquimod 5% cream, 858
N'GUYEN, J.M. *see* FOULC, P.
NAKAI, K. *see* OHNISHI, T.
NAKAMURA, H. *see* SHIMIZU, S.
NAKAMURA, K. *see* SAKUMA-OYAMA, Y.
NAKAMURA, M., TOYODA, M. & MOROHASHI, M. Pruritogenic mediators in psoriasis vulgaris: comparative evaluation of itch-associated cutaneous factors, 718
NAKAMURA, S. & NISHIOKA, K. Enhanced expression of p16 in seborrhoeic keratosis: a lesion of accumulated senescent epidermal cells in G_1 arrest, 560
NAKAMURA, T. *see* NIWA, Y.
NAKAMURA, Y. *see* KIRIHARA, T.
NAKAO, A. *see* SUMIYOSHI, K.
NALDI, L. *see* INGORDO, V.
NARA, T., HAYAKAWA, A., IKEUCHI, A., KATOH, N. & KISHIMOTO, S. Granulocyte colony-stimulating factor-producing cutaneous angiosarcoma with leukaemoid reaction arising on a burn scar, 1273
NASHAN, D. *see* HOFFMANN, K.
NATARAJAN, S. *see* AH-WENG, A.
NAVSARIA, H. *see* MORLEY, S.M.
NEGRO, F. *see* KERL, K.
NELSON, M. *see* KULCZYCKI, A.
NEUMANN, M. *see* HOFFMANN, K.
NEWELL, B., BEDLOW, A.J., CLIFF, S., DRYSDALE, S.B., STANTON, A.W.B. & MORTIMER, P.S. Comparison of the microvasculature of basal cell carcinoma and actinic keratosis using intravital microscopy and immunohistochemistry, 105
NEWTON BISHOP, J. *see* HOFFMANN, K.
NG, P.P.L. *see* GOH, B.K.
NG, P.P.L. *see* TANG, M.B.Y.
NG, S.K. *see* TANG, M.B.Y.
NGUYEN, B-C. & KOCHEVAR, I.E. Factors influencing sunless tanning with dihydroxyacetone, 332
NGUYEN, V.A. *see* NAGL, M.
NICAUD, V. *see* HERRMANN, S.-M.
NICHOLLS, R. *see* CLAYTON, T.H.
NICKOLOFF, B.J. *see* LE POOLE, I.C.
NICOL, I., BOYE, T., CARSUZAA, F., FEIER, L., COLLET VILLETTE, A.M., XERRI, L., GROB, J.J. & RICHARD, M.A. Post-transplant plasmablastic lymphoma of the skin, 889
NICOLAOU, N. & GRAHAM-BROWN, R.A.C. Nail dystrophy, an unusual presentation of incontinentia pigmenti, 1286
NICOLAOU, N. *see* SLADDEN, M.J.
NICOLAS, J.F. *see* BOSSET, S.
NIIMURA, M. *see* NOBEYAMA, Y.
NIKOLSKAIA, O.V., NOUSARI, C.H. & ANHALT, G.J. Paraneoplastic pemphigus in association with Castleman's disease, 1143
NISHIBU, A. *see* SAKUMA-OYAMA, Y.
NISHIE, W., YOKOTA, K., SAWAMURA, D., SATO-MATSUMURA, K., TANIMURA, S., OSAWA, R., KAWASHIMA, T., YOKOTA, T. & SHIMIZU, H. Detection of circulating lymphoma cells in subcutaneous panniculitis-like T-cell lymphoma, 1081
NISHIJIMA, S. *see* KUROKAWA, I.
NISHIOKA, K. *see* NAKAMURA, S.
NISHIYAMA, T. *see* KADOYA, K.
NIWA, Y., SUMI, H., KAWAHIRA, K., TERASHIMA, T., NAKAMURA, T. & AKAMATSU, H. Protein oxidative damage in the stratum corneum: evidence for a link between environmental oxidants and the changing prevalence and nature of atopic dermatitis in Japan, 248
NIWA, Y., TERASHIMA, T. & SUMI, H. Topical application of the immunosuppressant tacrolimus accelerates carcinogenesis in mouse skin, 960
NOBEYAMA, Y., HONDA, M. & NIIMURA, M. A case of galactosialidosis, 405
NOBLESSE, I. *see* BENS, G.
NORGAUER, J. *see* DETTENKOFER, M.
NOUSARI, C.H. *see* CUMMINS, D.L.
NOUSARI, C.H. *see* KOUBA, D.J.
NOUSARI, C.H. *see* NIKOLSKAIA, O.V.
NOVAK, N. *see* LUDWIG, E.
NTUSI, N.B.A. *see* CARLIE, G.

O'LEARY, R., PONNAMBALAM, S. & WOOD, E.J. Pioglitazone-induced myofibroblast cell death: implications for cutaneous scarring, 665
O'NEILL, S.M. *see* DAWN, G.

OCKENFELS, H.M. *see* GERBER, W.
OGAWA, H. *see* HASHIMOTO, Y.
OGAWA, H. *see* SUMIYOSHI, K.
OHNISHI, T., NAKAI, K., NAGAYAMA, T., SASAKI, M., SUZUKI, T. & WATANABE, S. Pigmented squamous cell carcinoma of the skin. Report of a case with epiluminescence microscopic observation, 1292
OHSHIMA, A., TOKURA, Y., MISAWA, J., YAGI, H. & TAKIGAWA, M. Erythrodermic cutaneous T-cell lymphoma with CD8+CD56+ leukaemic T cells in a young woman, 891
OHSHIMA, Y., TAMADA, Y., MATSUMOTO, Y. & HASHIMOTO, T. Dermatitis herpetiformis Duhring with palmoplantar keratosis, 1300
OHTSUKI, Y. *see* ZHOU, S.
OIKARINEN, A. *see* MALMINEN, M.
OKUMURA, K. *see* SUMIYOSHI, K.
OLÁH, J., GYULAI, R., KOROM, I., VARGA, E. & DOBOZY, A. Tumour regression predicts higher risk of sentinel node involvement in thin cutaneous melanomas, 662
OLIVRY, T. *see* TOBIN, D.J.
OLLIVIER, I. *see* ADAMSKI, H.
ONG, B.H. *see* EE, H.L.
ONG, B.H. *see* TAN, S.H.
ONO, T. *see* TAKENAKA, H.
OOI, C.G.C. *see* AU, W.Y.
ORFANOS, C.E. *see* GEORGIEVA, J.
ORLIKOV, A. *see* HOFFMANN, K.
ORMEROD, R.byA.D. Treatment of Skin Disease Comprehensive Strategies, 1093
ORMSBY, A.H. *see* SALAMA, M.E.
ORTONNE, J.P. *see* HOFFMANN, K.
OSAWA, R. *see* NISHIE, W.
OSHIMA, H. *see* KADOYA, K.
OWENS, N.M. *see* KOUBA, D.J.
OYAMA, N. *see* SAKUMA-OYAMA, Y.

PALIT, A. *see* INAMADAR, A.C.
PALLER, A.S. *see* RUSSI, D.C.
PALMER, J.G. *see* COX, N.H.
PALMOWSKI, A. *see* PFÖHLER, C.
PARR, D.G., STEWART, D.G., HERO, I. & STOCKLEY, R.A. Panniculitis secondary to extravasation of clarithromycin in a patient with α1-antitrypsin deficiency (phenotype PiZ), 410
PARRY, E.J. *see* STEVENS, S.R.
PARSAD, D., WAKAMATSU, K., KANWAR, A.J., KUMAR, B. & ITO, S. Eumelanin and phaeomelanin contents of depigmented and repigmented skin in vitiligo patients, 624
PARSLEW, R.A. *see* DOBSON, C.M.
PASQUIER, L. *see* PASSERON, T.
PASQUINI, P. *see* MAZZOTTI, E.
PASSERON, T., IMBERT, P., COLBACCHINI, P., DOSSEH, A., PASQUIER, L., KÂ, A.S. & LACOUR, J.P.H. Extensive cutaneous herpes following meningococcal meningitis: two cases, 1077
PAUL, M. *see* HERRMANN, S.-M.
PELLACANI, G. *see* SEIDENARI, S.
PELTONEN, J. *see* MALMINEN, M.
PELTONEN, S. *see* MALMINEN, M.
PENAS, P.F. *see* HOFFMANN, K.
PEROTTI, R. *see* HOFFMANN, K.
PFÖHLER, C., HAUS, A., PALMOWSKI, A., UGUREL, S., RUPRECHT, K.W., THIRKILL, C.E., TILGEN, W. & REINHOLD, U. Melanoma-associated retinopathy: high frequency of subclinical findings in patients with melanoma, 74
PHARIS, D.B. & ZITELLI, J.A. The management of regional lymph nodes in cancer, 919
PHILIPS, B. *see* TOBIN, E.
PHILLIPS, R. *see* DAWE, S.A.
PICARDI, A. *see* MAZZOTTI, E.
PIGNATARI, A.C.C. *see* PORRO, A.M.
PIMPINELLI, N. *see* PRIGNANO, F.
PITTELKOW, M.R. *see* MEHRANY, K.
PLEWIG, G. *see* SCHMID-WENDTNER, M-H.
POLYDOROU, D. *see* RIGOPOULOS, D.
PONNAMBALAM, S. *see* O'LEARY, R.
PORRO, A.M., ALCHORNE, M.M.A., MOTA, G.R., MICHALANY, N., PIGNATARI, A.C.C. & SOUZA, I.E. Detection and typing of human papillomavirus in cutaneous warts of patients infected with human immunodeficiency virus type 1, 1192
PORTER, W. *see* DAWE, S.A.
POWELL, A.M., ALBERT, S., AL FARES, S., HARMAN, K.E., SETTERFIELD, J., BHOGAL, B. & BLACK, M.M. An evaluation of the usefulness of mycophenolate mofetil in pemphigus, 138
POWELL, J. *see* SITARU, C.
PRAMPOLINI, L. *see* BARDELLA, M.T.
PRIGNANO, F., BIANCHI, B., DOMENICI, L., ROSSI, R., ROMAGNOLI, P., PIMPINELLI, N., CAPPUGI, P. & GIANNOTTI, B. Early apoptosis plays an important role in the healing mechanism of cutaneous basal cell carcinomas after photodynamic therapy, 205

QUIÑONES, A.G. *see* RUIZ, M.R.
QURESHI, H.S. *see* SALAMA, M.E.

RAHMAN, M., SAKAMOTO, J. & FUKUI, T. Share of research output in dermatology: a quantitative ranking, 218
RAJAKULASINGAM, K. *see* EVANS, M.R.W.
RAMÍREZ-HERRERA, M. *see* HERNÁNDEZ-MARTÍN, A.
RAPPERSBERGER, K. *see* HARTMANN, K.
RASMUSSEN, K. *see* HANSEN, L.K.
RASSNER, G. *see* BLUM, A.
RATZINGER, G., ZELGER, B.G. & ZELGER, B. Is there a true association between Rosai–Dorfman disease and malignancy?, 1085
RAY, S. *see* HOLICK, M.F.
REAGAN, K.E. *see* ZHAI, H.
REID, C. *see* FORSLUND, O.
REINHARDT, D.P. *see* EISENBEISS, C.
REINHOLD, U. *see* PFÖHLER, C.

REIS, A. *see* HENSEN, P.
REITER, A. *see* UGUREL, S.
RENCIC, A. *see* CUMMINS, D.L.
RENCIC, A. *see* KOUBA, D.J.
REQUENA, C. *see* NAGORE, E.
REYNOLDS, N.J. *see* MCBRIDE, S.R.
RHODES, L.E. *see* CHOUDRY, K.
RHODES, L.E. *see* HORN, M.
RICE, R.H., CRUMRINE, D., HOHL, D., MUNRO, C.S. & ELIAS, P.M. Cross-linked envelopes in nail plate in lamellar ichthyosis, 1050
RICHARD, M.A. *see* NICOL, I.
RICHARDS, H.L., FORTUNE, D.G., MAIN, C.J. & GRIFFITHS, C.E.M. Stigmatization and psoriasis, 209
RICHARDS, H.L. *see* McKENNA, S.P.
RICK, A. *see* HOFFMANN, K.
RIGOPOULOS, D., KATOULIS, A.C., IOANNIDES, D., GEORGALA, S., KALOGEROMITROS, D., BOLBASIS, I., KARISTINOU, A., CHRISTOFIDOU, E., POLYDOROU, D., BALKOU, P., FRAGOULI, E. & KATSAMBAS, A.D. A randomized trial of amorolfine 5% solution nail lacquer in association with itraconazole pulse therapy compared with itraconazole alone in the treatment of *Candida* fingernail onychomycosis, 151
RING, J. *see* BRAUN-FALCO, M.
RING, J. *see* FESQ, H.
RITZ-TIMME, S., LAUMEIER, I. & COLLINS, M.J. Aspartic acid racemization: evidence for marked longevity of elastin in human skin, 951
ROBINSON, J.K. *see* LE POOLE, I.C.
ROCA, J. *see* FUENTE, M.J.
RODRÍGUEZ PERALTO, J.L. *see* GAMO VILLEGAS, R.
RODRÍGUEZ-VEGAS, M. *see* HERNÁNDEZ-MARTÍN, A.
ROHWEDDER, A. *see* TOBIN, E.
ROMAGNOLI, P. *see* PRIGNANO, F.
ROSE, C. *see* GOEBELER, M.
ROSS, C. *see* STEVENS, S.R.
ROSSI, R. *see* PRIGNANO, F.
ROTHER, M. *see* FESQ, H.
RUBEGNI, P., SBANO, P. & FIMIANI, M. A case of disseminated granuloma annulare treated with defibrotide: complete clinical remission and progressive hair darkening, 437
RÜDEN, H. *see* DETTENKOFER, M.
RUGG, E.L. *see* MORLEY, S.M.
RUIZ, M.R., QUIÑONES, A.G., DÍAZ, N.L. & TAPIA, F.J. Acute immobilization stress induces clinical and neuroimmunological alterations in experimental murine cutaneous leishmaniasis, 731
RUPRECHT, K.W. *see* PFÖHLER, C.
RÜSCHENDORF, F. *see* HENSEN, P.
RUSSELL JONES, R. *see* WHITTAKER, S.J.
RUSSELL-JONES, R. *see* COOPER, S.M.
RUSSI, D.C., IRVINE, A.D. & PALLER, A.S. Raised limb bands developing in infancy, 436
RYCROFT, R.J.G. *see* BUCKLEY, D.A.
RZANY, B. *see* HONECK, P.
SAARIALHO-KERE, U. *see* IMPOLA, U.
SABAT, M. *see* FUENTE, M.J.
SADAYAMA, T. *see* KIRIHARA, T.
SAEKI, H. *see* TSUNEMI, Y.
SAILLER, L., JOSEPH-HEIN, K., ASTUDILLO, L., MADAULE, S., ECOIFFIER, M., DAHAN, S., DELISLE, M.B. & ARLET, P. Pustular vasculitis in a patient with T-cell large granular lymphocyte proliferation and myelodysplasia. Successful treatment by ciclosporin, 893
SAITO, I. *see* IDE, F.
SAITO, M., TADA, Y., HARADA-SHIBA, M., YAMAMOTO, A., KUSAKABE, N., YOKOGAWA, M., KODAMA, H., ASADA, H. & MIYAGAWA, S. Homozygous familial hypercholesterolaemia: development of xanthogranuloma in a boy at puberty under long-term low-density lipoprotein apheresis and drug therapy, 1302
SAITO, M. *see* SAKUMA-OYAMA, Y.
SAKAGUCHI, I. *see* FUJITA, N.
SAKAMOTO, J. *see* RAHMAN, M.
SAKUMA-OYAMA, Y., NISHIBU, A., OYAMA, N., SAITO, M., NAKAMURA, K. & KANEKO, F. A case of recurrent cutaneous eosinophilic vasculitis: successful adjuvant therapy with suplatast tosilate, 901
SALADINO, V. *see* BARDELLA, M.T.
SALAMA, M.E., MAHMOOD, M.N., QURESHI, H.S., MA, C., ZARBO, R.J. & ORMSBY, A.H. $p16^{INK4a}$ expression in actinic keratosis and Bowen's disease, 1006
SALTZBERG, F. *see* BALKRISHNAN, R.
SAMPOGNA, F. *see* MAZZOTTI, E.
SAMPSON, M.J. *see* WALL, S.J.
SANCHES JR, J.A. *see* MILAGRES, S.P.
SANCHEZ-PEDREÑO, P. *see* NAGORE, E.
SANDER, C.A. *see* SCHMID-WENDTNER, M-H.
SANDERS, C.J.G., VAN WEELDEN, H., KAZZAZ, G.A.A., SIGURDSSON, V., TOONSTRA, J. & BRUIJNZEEL-KOOMEN, C.A.F.M. Photosensitivity in patients with lupus erythematosus: a clinical and photobiological study of 100 patients using a prolonged phototest protocol, 131
SANDERSON, J.B. *see* DAWE, R.S.
SANMARTIN, O. *see* NAGORE, E.
SANTINI, D. *see* LANDI, D.
SARRACCO, G. *see* FERRARA, G.
SARTORIUS, K., LAPINS, J., EMTESTAM, L. & JEMEC, G.B.E. Suggestions for uniform outcome variables when reporting treatment effects in hidradenitis suppurativa, 211
SASAKI, M. *see* OHNISHI, T.
SATO-MATSUMURA, K.C. *see* TOMIZAWA, K.
SATO-MATSUMURA, K. *see* NISHIE, W.
SATTER, E.K., GRAHAM, B.S. & STEGER, J.W. Response of cutaneous Rosai–Dorfman disease to topical and intralesional steroids, 672
SAURAT, J-H. *see* GEWIRTZMAN, A.J.
SAURAT, J-H. *see* KUENZLI, S.
SAVOIA, F. *see* BARDAZZI, F.
SAWAMURA, D. *see* IWAO, F.
SAWAMURA, D. *see* NISHIE, W.
SBANO, P. *see* RUBEGNI, P.

SCERRI, G.V. *see* ANDERSON, K.D.
SCHADENDORF, D. *see* UGUREL, S.
SCHADENDORF, D. *see* USENER, D.
SCHÄFER, T. *see* KATALINIC, A.
SCHARFFETTER-KOCHANEK, K. *see* DISSEMOND, J.
SCHIFFNER, R., SCHIFFNER-ROHE, J., LANDTHALER, M. & STOLZ, W. Long-term dermoscopic follow-up of melanocytic naevi: clinical outcome and patient compliance, 79
SCHIFFNER-ROHE, J. *see* SCHIFFNER, R.
SCHJERVEN, H. *see* MØRK, G.
SCHMIDT, A. *see* BOCK, M.
SCHMIDT-PETERSEN, K. *see* HERRMANN, S.-M.
SCHMID-WENDTNER, M-H., BAUMERT, J., EBERLE, J., PLEWIG, G., VOLKENANDT, M. & SANDER, C.A. Disease progression in patients with thin cutaneous melanomas (tumour thickness ≤0·75 mm): clinical and epidemiological data from the Tumour Center Munich 1977–98, 788
SCHMITT-EGENOLF, M. *see* HENSEN, P.
SCHNÉBERT, S. *see* BOSSET, S.
SCHNEIDER, L.A. *see* DISSEMOND, J.
SCHNELL, B.M. *see* BERGER, R.S.
SCHNUCH, A. *see* JAPPE, U.
SCHOPF, A. *see* MAIER, H.
SCHULER, G. *see* LÜFTL, M.
SCHULER, G. *see* THUMANN, P.
SCHWENDINGER, H. *see* MEINGASSNER, J.G.
SEET, J.-E. *see* SIDWELL, R.U.
SEIDENARI, S., PELLACANI, G. & GRANA, C. Computer description of colours in dermoscopic melanocytic lesion images reproducing clinical assessment, 523
SEITZ, C. *see* GOEBELER, M.
SENARD, J.M. *see* SIMONETTA MOREAU, M.
SENZAKI, H. *see* KUROKAWA, I.
SEPP, N. *see* HARTMANN, K.
SERA, F. *see* MAZZOTTI, E.
SERRA-GUILLEN, C. *see* NAGORE, E.
SETOGUCHI, Y. *see* SUMIYOSHI, K.
SETTERFIELD, J. *see* POWELL, A.M.
SEUKERAN, D.C. *see* SOMMER, S.
SEVERI, G., SINCLAIR, R., HOPPER, J.L., ENGLISH, D.R., McCREDIE, M.R.E., BOYLE, P. & GILES, G.G. Androgenetic alopecia in men aged 40–69 years: prevalence and risk factors, 1207
SEVILA, A. *see* NAGORE, E.
SEXTON, C. *see* MORLEY, S.M.
SHANAHAN, D. *see* EVANS, M.R.W.
SHARPE, G.R. *see* FARRAR, C.W.
SHEEHAN-DARE, R.A. *see* SOMMER, S.
SHEMANKO, C.S. *see* MORLEY, S.M.
SHIKATA, N. *see* KUROKAWA, I.
SHIMANOVICH, I. *see* SITARU, C.
SHIMIZU, H. *see* IWAO, F.
SHIMIZU, H. *see* NISHIE, W.
SHIMIZU, H. *see* SHIMIZU, S.
SHIMIZU, S., YASUI, C., YASUKAWA, K., NAKAMURA, H., SHIMIZU, H. & TSUCHIYA, K. Subcutaneous nodules on the buttocks as a manifestation of dialysis-related amyloidosis: a clinicopathological entity?, 400
SHIOSAKA, S. *see* KIRIHARA, T.
SHIRAKATA, Y. *see* WADA, T.
SIDWELL, R.U., SEET, J.-E., FRANCIS, N. & BUNKER, C.B. Giant actinic porokeratosis of the scalp, 654
SIGURDSSON, V. *see* SANDERS, C.J.G.
SIGURGEIRSSON, B. *see* GUDJONSSON, J.E.
SIM, C.S. *see* TAN, S.H.
SIMONETTA MOREAU, M., CAUHEPE, C., MAGUES, J.P. & SENARD, J.M. A double-blind, randomized, comparative study of Dysport® vs. Botox® in primary palmar hyperhidrosis, 1041
SINCLAIR, R. *see* SEVERI, G.
SITARU, C., POWELL, J., SHIMANOVICH, I., JAINTA, S., KIRTSCHIG, G., WOJNAROWSKA, F. & ZILLIKENS, D. Pemphigoid gestationis: maternal sera recognize epitopes restricted to the N-terminal portion of the extracellular domain of BP180 not present on its shed ectodomain, 420
SITARU, C. *see* GOEBELER, M.
SKOET, R., ZACHARIAE, R. & AGNER, T. Contact dermatitis and quality of life: a structured review of the literature, 452
SLADDEN, M. *see* MACDONALD HULL, S.P.
SLADDEN, M.J., NICOLAOU, N., JOHNSTON, G.A. & HUTCHINSON, P.E. Livedo reticularis induced by amantadine, 656
SMILES, K.A. *see* BERGER, R.S.
SMIT, J.V. *see* FRANSSEN, M.E.J.
SODA, R. *see* BIANCHI, L.
SOLÉR, A.M. *see* HORN, M.
SOMA, Y. *see* YAMASAKI, E.
SOMMER, A. *see* HOFFMANN, K.
SOMMER, S., SEUKERAN, D.C. & SHEEHAN-DARE, R.A. Efficacy of pulsed dye laser treatment of port wine stain malformations of the lower limb, 770
SONG, Y.X. *see* WEI, S.C.
SOPENA BARONA, J. *see* GAMO VILLEGAS, R.
SOUZA, I.E. *see* PORRO, A.M.
SOYER, H.P. *see* BLUM, A.
SØYLAND, E. *see* MØRK, G.
SPIEGEL, W. *see* MAIER, H.
SPITTLE, M. *see* WHITTAKER, S.J.
STADELMANN, A. *see* STÄNDER, H.
STÄNDER, H., STADELMANN, A., LUGER, T. & TRAUPE, H. Efficacy of fumaric acid ester monotherapy in psoriasis pustulosa palmoplantaris, 220
STÄNDER, M. *see* HENSEN, P.
STANLEY, J.K. *see* HAYTON, M.J.
STANTON, A.W.B. *see* NEWELL, B.
STARZ, H. *see* MICHL, C.
STAUBER, A. *see* LÜFTL, M.
STEFANAKI, I.M., GEORGIOU, S., THEMELIS, G.C., VAZGIOURAKI, E.M. & TOSCA, A.D. *In vivo* fluorescence kinetics and photodynamic therapy in condylomata acuminata, 972
STEGER, J.W. *see* SATTER, E.K.
STEINHOFF, M. *see* GEORGIEVA, J.

STENDER, I.M. *see* HORN, M.
STENNETT, L.S. *see* LE POOLE, I.C.
STEPHAN, F. *see* TOMB, R.R.
STERNE, J.A.C. *see* WADONDA-KABONDO, N.
STERRY, W. *see* HONECK, P.
STEVENS, H. *see* HATSELL, S.J.
STEVENS, S.R., KE, M.S., BIROL, A., TERHUNE, M.H., PARRY, E.J., ROSS, C., MOSTOW, E.N., GILLIAM, A.C. & COOPER, K.D. FOR THE INTERDISCIPLINARY CUTANEOUS LYMPHOMA PROGRAM A simple clinical scoring system to improve the sensitivity and standardization of the diagnosis of mycosis fungoides type cutaneous T-cell lymphoma: logistic regression of clinical and laboratory data, 513
STEWART, D.G. *see* PARR, D.G.
STICHERLING, M. *see* WETZIG, T.
STOCKLEY, R.A. *see* PARR, D.G.
STOLZ, W. *see* SCHIFFNER, R.
STÜTZ, A. *see* MEINGASSNER, J.G.
SUEMURA, M. *see* HIGA, S.
SUGA, Y. *see* HASHIMOTO, Y.
SUGIMOTO, Y. *see* HOSSEN, M.A.
SULLIVAN, T.P., WELSH, E., KERDEL, F.A., BURDICK, A.E. & KIRSNER, R.S. Infliximab for hidradenitis suppurativa, 1046
SUMI, H. *see* NIWA, Y.
SUMIYOSHI, K., NAKAO, A., SETOGUCHI, Y., OKUMURA, K., TSUBOI, R. & OGAWA, H. Smads regulate collagen gel contraction by human dermal fibroblasts, 464
SUN, C.-C. *see* THONG, H.-Y.
SUN, X-K. *see* LI, H.
SUNDBY, J. *see* DALGARD, F.
SUZUKI, H. *see* AKIMOTO, M.
SUZUKI, H. *see* WADA, T.
SUZUKI, N. *see* UCHINO, Y.
SUZUKI, T. *see* OHNISHI, T.
SVENSSON, Å. *see* DALGARD, F.

TADA, Y. *see* SAITO, M.
TAGAMI, H. *see* KUNII, T.
TAGUCHI, H. *see* UCHINO, Y.
TAÏEB, A. *see* BENS, G.
TAJIMA, S. *see* FUJIMOTO, N.
TAKAHASHI, H. *see* WADA, T.
TAKEDA, H. *see* KAWAGUCHI, M.
TAKENAKA, H., YASUNO, H., FUKUDA, T., ONO, T. & KISHIMOTO, S. Widespread cutaneous oxalosis in a patient with primary hyperoxaluria, 1075
TAKEUCHI, T. *see* ZHOU, S.
TAKIGAWA, M. *see* OHSHIMA, A.
TAMADA, Y. *see* OHSHIMA, Y.
TAMAKI, K. *see* TSUNEMI, Y.
TAMM, K. *see* HOFMANN, S.C.
TAN, S.H., SIM, C.S. & ONG, B.H. Cutaneous lymphomas other than mycosis fungoides in Singapore: a clinicopathological analysis using recent classification systems, 542
TAN, S.H. *see* TANG, M.B.Y.
TANABE, M. *see* KADOYA, K.
TANAKA, T. *see* HIGA, S.
TANAKA-KAGAWA, T., HANIOKA, N., YOSHIDA, H., JINNO, H. & ANDO, M. Arsenite and arsenate activate extracellular signal-regulated kinases 1/2 by an epidermal growth factor receptor-mediated pathway in normal human keratinocytes, 1116
TANEW, A. *see* TZANEVA, S.
TANG, M.B.Y., LIEW, K.V.S., NG, P.P.L., TAN, S.H. & NG, S.K. Cutaneous polyarteritis nodosa associated with precore mutant hepatitis B infection, 914
TANIMURA, S. *see* NISHIE, W.
TAPIA, F.J. *see* RUIZ, M.R.
TAY, Y.K. *see* YOSIPOVITCH, G.
TEBBE, B. *see* BOSCHNAKOW, A.
TERAMAE, H. *see* FUJITA, N.
TERASHIMA, T. *see* NIWA, Y.
TERHUNE, M.H. *see* STEVENS, S.R.
THANGARAJ, H. *see* EVANS, M.R.W.
THEILING, K. *see* FESQ, H.
THEMELIS, G.C. *see* STEFANAKI, I.M.
THE ALSPAC STUDY TEAM. *see* WADONDA-KABONDO, N.
THE GLADYS STUDY GROUP *see* HONECK, P.
THE IDI MULTIPURPOSE PSORIASIS RESEARCH ON VITAL EXPERIENCES (IMPROVE) STUDY GROUP *see* MAZZOTTI, E.
THE INTER DISCIPLINARY CUTANEOUS LYMPHOMA PROGRAM *see* STEVENS, S.R.
THIO, H.B. *see* HOEFNAGEL, J.J.
THIRKILL, C.E. *see* PFÖHLER, C.
THOMSON, E.M. *see* DAWE, R.S.
THONG, H.-Y., JEE, S.-H., SUN, C.-C. & BOISSY, R.E. The patterns of melanosome distribution in keratinocytes of human skin as one determining factor of skin colour, 498
THONG, H-Y., DAI, Y-S. & CHIU, H-C. An unusual presentation of congenital self-healing reticulohistiocytosis, 191
THORARINSSON, A.M. *see* GUDJONSSON, J.E.
THUMANN, P., LÜFTL, M., MOC, I., BAGOT, M., BENSUSSAN, A., SCHULER, G. & JENNE, L. Interaction of cutaneous lymphoma cells with reactive T cells and dendritic cells: implications for dendritic cell-based immunotherapy, 1128
TILGEN, W. *see* PFÖHLER, C.
TIMMANN, C., ABRAHA, R.S., HAMELMANN, C., BUTTNER, D.W., LEPPING, B., MARFO, Y., BRATTIG, N. & HORSTMANN, R.D. Cutaneous pathology in onchocerciasis associated with pronounced systemic T-helper 2-type responses to *Onchocerca volvulus*, 782
TOBIN, D.J., GARDNER, S.H., LUTHER, P.B., DUNSTON, S.M., LINDSEY, N.J. & OLIVRY, T. A natural canine homologue of alopecia areata in humans, 938
TOBIN, E., ROHWEDDER, A., HOLLAND, S.M., PHILIPS, B. & CARLSON, J.A. Recurrent 'sterile' verrucous cyst abscesses and epidermodysplasia verruciformis-like eruption associated with idiopathic CD4 lymphopenia, 627

TODD, G. *see* HIFT, R.J.
TOKURA, Y. *see* OHSHIMA, A.
TOMB, R.R., STEPHAN, F., KLEIN-TOMB, L., CHAHINE, G. & GROSSHANS, E. Recurrent primary CD30+ lymphoma of the penis, 903
TOMIZAWA, K., SATO- MATSUMURA, K.C. & KAJII, N. The coexistence of cutaneous vasculitis and thrombosis in childhood-onset systemic lupus erythematosus with anti-phospholipid antibodies, 439
TONINI, G. *see* LANDI, D.
TOONSTRA, J. *see* SANDERS, C.J.G.
TOSCA, A.D. *see* STEFANAKI, I.M.
TOSCAS, I. *see* CONILL, C.
TOYODA, M. *see* NAKAMURA, M.
TRAUPE, H. *see* HENSEN, P.
TRAUPE, H. *see* STÄNDER, H.
TREUDLER, R. *see* GEORGIEVA, J.
TREVENZOLI, M. *see* LANZAFAME, M.
TREZ, E. *see* DE GIORGI, V.
TROVATO, C. *see* BARDELLA, M.T.
TSAI, K-B. *see* LAN, C-C.E.
TSUBOI, R. *see* SUMIYOSHI, K.
TSUBURA, A. *see* KUROKAWA, I.
TSUCHIYA, K. *see* SHIMIZU, S.
TSUNEMI, Y., IHN, H., SAEKI, H. & TAMAKI, K. Epithelioid granulomas in post-transplantation chronic graft-vs.-host disease, 898
TSUNENAGA, M. *see* KADOYA, K.
TSURUTA, D. *see* FUJITA, N.
TSUTSUI, K., ASAI, Y., FUJIMOTO, A., YAMAMOTO, M., KUBO, M. & HATTA, N. A novel *p63* sterile alpha motif (SAM) domain mutation in a Japanese patient with ankyloblepharon, ectodermal defects and cleft lip and palate (AEC) syndrome without ankyloblepharon, 395
TURNER, C.B. *see* BERGER, R.S.
TURNER, G.D.H. *see* COOPER, S.M.
TZANEVA, S., HÖNIGSMANN, H. & TANEW, A. Observer-blind, randomized, intrapatient comparison of a novel 1% coal tar preparation (Exorex) and calcipotriol cream in the treatment of plaque type psoriasis, 350

UCHINO, Y., FUKUSHIGE, T., YOTSUMOTO, S., HASHIGUCHI, T., TAGUCHI, H., SUZUKI, N., KONOHANA, I. & KANZAKI, T. Morphological and biochemical studies of human β-mannosidosis: identification of a novel β-mannosidase gene mutation, 23
UCHINO, Y. *see* KANEKURA, T.
UEDE, K. & FURUKAWA, F. Skin manifestations in acute arsenic poisoning from the Wakayama curry-poisoning incident, 757
UGUREL, S., LAHAYE, T., HILDENBRAND, R., GLORER, E., REITER, A., HOCHHAUS, A., SCHADENDORF, D. & GOERDT, S. Panniculitis in a patient with chronic myelogenous leukaemia treated with imatinib, 678
UGUREL, S. *see* PFÖHLER, C.
ULMER, H. *see* NAGL, M.
URCELAY, M. *see* DAWN, G.
USENER, D., GERHARDT, A., SCHADENDORF, D. & EICHMÜLLER, S. Seroreactivity against MAGE-A and LAGE-1 proteins in melanoma patients, 282
UTER, W. *see* JAPPE, U.

VALDIMARSSON, H. *see* GUDJONSSON, J.E.
VALENTE, N.Y.S. *see* MILAGRES, S.P.
VAN ASSCHE, D. *see* McKENNA, S.P.
VAN DE KERKHOF, P.C.M. *see* FRANSSEN, M.E.J.
VAN ERP, P.E.J. *see* FRANSSEN, M.E.J.
VARGA, E. *see* OLÁH, J.
VAZGIOURAKI, E.M. *see* STEFANAKI, I.M.
VELANGI, S. *see* AH-WENG, A.
VELASCO, A. *see* HERNÁNDEZ-MARTÍN, A.
VENTO, S. *see* LANZAFAME, M.
VERGARA SANCHEZ, A. *see* GAMO VILLEGAS, R.
VERGIER, B. *see* BENS, G.
VERKASALO, P.K. *see* MILÁN, T.
VERMEER, M.H. *see* HOEFNAGEL, J.J.
VESTERGAARD, C., DELEURAN, M., GESSER, B. & GRØNHØJ LARSEN, C. Expression of the T-helper 2-specific chemokine receptor CCR4 on CCR10-positive lymphocytes in atopic dermatitis skin but not in psoriasis skin, 457
VINCENZI, B. *see* LANDI, D.
VOLKENANDT, M. *see* SCHMID-WENDTNER, M-H.
VROLIJK, J.M. *see* WILLEMS, M.

WADA, T., SHIRAKATA, Y., TAKAHASHI, H., MURAKAMI, S., IIZUKA, H., SUZUKI, H. & HASHIMOTO, K. A Japanese case of segmental Darier's disease caused by mosaicism for the ATP2A2 mutation, 185
WADONDA-KABONDO, N., STERNE, J.A.C., GOLDING, J., KENNEDY, C.T.C., ARCHER, C.B., DUNNILL, M.G.S. AND THE ALSPAC STUDY TEAM. A prospective study of the prevalence and incidence of atopic dermatitis in children aged 0–42 months, 1023
WAKAMATSU, K. *see* PARSAD, D.
WALKER, P. *see* MCBRIDE, S.R.
WALL, S.J., SAMPSON, M.J., LEVELL, N. & MURPHY, G. Elevated matrix metalloproteinase-2 and -3 production from human diabetic dermal fibroblasts, 13
WARLOE, T. *see* HORN, M.
WATANABE, S. *see* OHNISHI, T.
WECHSLER, J. *see* ADAMSKI, H.
VAN WEELDEN, H. *see* SANDERS, C.J.G.
WEI, S.C., YANG, S., LI, M., SONG, Y.X., ZHANG, X.Q., BU, L., ZHENG, G.Y., KONG, X.Y. & ZHANG, X.J. Identification of a locus for porokeratosis palmaris et plantaris disseminata to a 6·9-cM region at chromosome 12q24·1–24·2, 261
WEINLICH, G., BITTERLICH, W., MAYR, V., FRITSCH, P.O. & ZELGER, B. Metallothionein-overexpression as a prognostic factor for progression and survival in melanoma. A prospective study on 520 patients, 535
WEISS, C. *see* HONECK, P.
WELSH, E. *see* SULLIVAN, T.P.

WENK, J. *see* DISSEMOND, J.
WENNBERG, A-M. *see* HORN, M.
WERCHOWSKI, K.M. *see* BERGER, R.S.
WETZIG, T. & STICHERLING, M. Juvenile pityriasis rubra pilaris: successful treatment with ciclosporin, 202
WHALLEY, D. *see* McKENNA, S.P.
WHITE, I.R. *see* BUCKLEY, D.A.
WHITTAKER, S.J., MARSDEN, J.R., SPITTLE, M. & RUSSELL JONES, R. Joint British Association of Dermatologists and U.K. Cutaneous Lymphoma Group guidelines for the management of primary cutaneous T-cell lymphomas, 1095
WIENKER, T.F. *see* HENSEN, P.
WILLEMS, M., MUNTE, K., VROLIJK, J.M., DEN HOLLANDER, J.C., BÖHM, M., KEMMEREN, M.H., DE MAN, R.A. & BROUWER, J.T. Hyperpigmentation during interferon-alpha therapy for chronic hepatitis C virus infection, 390
WILLEMZE, R. *see* HOEFNAGEL, J.J.
WILLIAMS, A.T. *see* HARRIS, A.J.
WILSON, C. *see* DETTENKOFER, M.
WINDEMUTH, C. *see* HENSEN, P.
WLASCHEK, M. *see* DISSEMOND, J.
WOJNAROWSKA, F. *see* ALLEN, J.
WOJNAROWSKA, F. *see* CHUANG, Y.H.
WOJNAROWSKA, F. *see* COOPER, S.M.
WOJNAROWSKA, F. *see* SITARU, C.
WOLF, P. *see* HORN, M.
WONG, G.A.E. *see* HORN, M.
WOO, W.K. & McKENNA, K.E. Combination TL01 ultraviolet B phototherapy and topical calcipotriol for psoriasis: a prospective randomized placebo-controlled clinical trial, 146
WOOD, E.J. *see* O'LEARY, R.
WOOD, M.L. *see* MACDONALD HULL, S.P.
WOODROW, S.L. & BURROWS, N.P. Malignant melanoma occurring at the periphery of a giant congenital naevus previously treated with laser therapy, 886
WU, Q.X. *see* LI, X.J.
WULF, H.C. *see* HORN, M.

XERRI, L. *see* NICOL, I.

YAGI, H. *see* OHSHIMA, A.
YAMAKAWA, Y. *see* AIHARA, Y.
YAMAMOTO, A. *see* KAMIYA, M.
YAMAMOTO, A. *see* SAITO, M.
YAMAMOTO, M. *see* TSUTSUI, K.
YAMANAKA, K. *see* FUJITA, N.
YAMASAKI, E., SOMA, Y., KAWA, Y. & MIZOGUCHI, M. Methotrexate inhibits proliferation and regulation of the expression of intercellular adhesion molecule-1 and vascular cell adhesion molecule-1 by cultured human umbilical vein endothelial cells, 30
YAN, J-J. *see* LIN, J-H.
YANG, C.C. *see* HSU, M.M.-L.
YANG, C.-H., HO, H.-C., CHAN, Y.-S., LIOU, L.-B., HONG, H.-S. & YANG, L.-C. Intractable livedoid vasculopathy successfully treated with hyperbaric oxygen, 647
YANG, C.H., LEE, J.C., CHEN, C.H., HUI, C.Y., HONG, H.S. & KUO, H.W. Photodynamic therapy for bowenoid papulosis using a novel incoherent light-emitting diode device, 1297
YANG, L.-C. *see* YANG, C.-H.
YANG, S. *see* WEI, S.C.
YASUI, C. *see* SHIMIZU, S.
YASUKAWA, K. *see* SHIMIZU, S.
YASUNO, H. *see* TAKENAKA, H.
YOKOGAWA, M. *see* SAITO, M.
YOKOTA, K. *see* IWAO, F.
YOKOTA, K. *see* NISHIE, W.
YOKOTA, S. *see* AIHARA, Y.
YOKOTA, T. *see* NISHIE, W.
YOSHIDA, H. *see* TANAKA-KAGAWA, T.
YOSHIDA, S. *see* KIRIHARA, T.
YOSIPOVITCH, G., CHAN, Y.H., TAY, Y.K. & GOH, C.L. Thermosensory abnormalities and blood flow dysfunction in psoriatic skin, 492
YOSIPOVITCH, G. *see* EE, H.L.
YOTSUMOTO, S. *see* UCHINO, Y.
YOUNG, S. *see* CORK, M.J.
YU, H-S. *see* LAN, C-C.E.

ZACHARIAE, R. *see* SKOET, R.
ZANGVIL, E. *see* MIMOUNI, D.
ZARBO, R.J. *see* SALAMA, M.E.
ZELGER, B. *see* RATZINGER, G.
ZELGER, B. *see* WEINLICH, G.
ZELGER, B.G. *see* RATZINGER, G.
ZENG, X.S. *see* LI, X.J.
ZHAI, H., CHEW, A-L., BASHIR, S.J., REAGAN, K.E., HOSTYNEK, J.J. & MAIBACH, H.I. Provocative use test of nickel coins in nickel-sensitized subjects and controls, 311
ZHANG, X.J. *see* WEI, S.C.
ZHANG, X.Q. *see* WEI, S.C.
ZHENG, G.Y. *see* WEI, S.C.
ZHOU, S., MATSUYOSHI, N., TAKEUCHI, T., OHTSUKI, Y. & MIYACHI, Y. Reciprocal altered expression of T-cadherin and P-cadherin in psoriasis vulgaris, 268
ZHU, X-J. *see* LI, H.
ZILLIKENS, D. *see* GOEBELER, M.
ZILLIKENS, D. *see* SITARU, C.
ZITELLI, J.A. *see* PHARIS, D.B.
ZORAS, U. *see* HOFFMANN, K.
ZOUBOULIS, C.C. *see* BOSCHNAKOW, A.
ZOUBOULIS, Ch.C. *see* HERRMANN, S.-M.
ZVULUNOV, A. *see* HATSELL, S.J.

British Journal of Dermatology 2003; **149:** 1327–1339.

Subject index

acne agminata, facial and axillary (Clinical Cameo) 1076
acromegaly, hair loss following treatment with octreotide (Correspondence) 655
actinic keratosis
comparison of microvasculature with basal cell carcinoma using intravital microscopy and immunohistochemistry 105
p16^{INK4a} expression 1006
AEC syndrome without ankyloblepharon, novel SAM domain mutation in Japanese patient (Case Report) 395
alopecia, androgenetic, prevalence and risk factors in men aged 40-69, 1207
alopecia areata
in cutaneous T-cell lymphoma, reversal by bexarotene (Correspondence) 193
decreased CGRP staining (Correspondence) 422
guidelines for management 692
natural canine homologue 938
$\alpha_1$antitrypsin deficiency, panniculitis secondary to extravasation of clarithromycin (Case Report) 410
α-lipoic acid, clinical efficacy of cream related to photoageing of facial skin 841
amantadine-induced livedo reticularis (Correspondence) 656
amorolfine, randomized trial of amorolfine with itraconazole and itraconazole alone in *Candida* onychomycosis 151
amyloidosis, dialysis-related, subcutaneous nodules on buttocks as manifestation (Case Report) 400
androgenetic alopecia, prevalence and risk factors in men aged 40-69, 1207
angiosarcoma arising in burn scar, G-CSF production (Case Report) 1273
anhidrotic ectodermal dysplasia with prominent milia-like facial sebaceous papules, *ED1* gene missense mutation (Correspondence) 443
anti-interleukin 18 antibody, failure to inhibit development of dermatitis in atopic dermatitis-model mice NC/Nga 39
antimicrobials, frequency of sensitization to in atopic eczema patients compared with nonatopic individuals 87
apoptosis, role in healing mechanism of cutaneous basal cell carcinoma after photodynamic therapy (Correspondence) 205
arsenic
activation of extracellular signal-regulated kinases by epidermal growth factor receptor-mediated pathway in normal human keratinocytes 1116
skin manifestations of acute poisoning 757
aspartic acid racemization and marked longevity of elastin in humans 951
atopic dermatitis
comparison of parent knowledge, therapy utilization and severity before and after explanation of topical therapies by specialist dermatology nurse 582
effect of *Mycobacterium vaccae* in childhood 1029
evidence for link between environmental oxidants and changing prevalence and nature of disease in Japan 248
expression of CCR4 receptor on CCR10+ lymphocytes in atopic dermatitis but not psoriasis 457
failure of anti-interleukin 18 antibody to inhibit development in atopic dermatitis-model mice NC/Nga 39
frequency of sensitization to antimicrobials in patients compared with nonatopic individuals 87
prospective study of prevalence and incidence in infancy and childhood 1023
use of complementary medicine in secondary care of children in Leicester 566
atopic dermatitis-model mice NC/Nga, failure of anti-interleukin 18 antibody to inhibit development of dermatitis 39
atopy and cutaneous T-cell lymphoma 1013
ATP2C1 gene mutations in Chinese patients with Hailey–Hailey disease 471
autologous cultured epithelium, evaluation as replacement skin after tattoo excision (Concise Communication) 377
autosomal recessive exfoliative ichthyosis with linkage to chromosome 12q13 (Case Report) 174

BADAS with ileo-anal pouch anastomosis, mycophenolate mofetil treatment (Correspondence) 2003
basal cell carcinoma
comparison of microvasculature with actinic keratosis using intravital microscopy and immunohistochemistry 105
lifestyle differences in twin pairs discordant for 115
photodynamic therapy

© 2003 British Association of Dermatologists

in patients prone to complications and poor cosmetic outcome with conventional treatment 1242
pulsed ultrasound measurements in depth and regression following 1035
role of apoptosis in healing mechanism (Correspondence) 205
response to imiquimod (Case Report) 858
basement membrane zone antigens, comparison between expression in human interfollicular epidermis and anagen hair follicles using indirect immunofluorescence 274
Bcl-2 expression in cutaneous B-cell lymphoma, support for a follicle centre cell origin and differential diagnostic significance 1183
Bcl-6 expression in cutaneous B-cell lymphoma, support for a follicle centre cell origin and differential diagnostic significance 1183
Behçet's syndrome, exacerbation of psoriasis by thalidomide therapy (Correspondence) 432
bexarotene
multiparameter flow cytometric analysis of effect on epidermis of psoriatic lesions 506
reversal of alopecia in cutaneous T-cell lymphoma (Correspondence) 193
blastic natural-killer cell lymphoma associated with myelodysplastic syndrome or myelogenous leukaemia (Case Report) 869
blepharitis, granulomatous, treatment with tranilast (Correspondence) 222
bodybuilder oleoma (Clinical Cameo) 1289
bone marrow transplantation, recognition of new clinical quartet following (Case Report) 862
botanical ingredients, topical, as modulators of environmental and chronological skin damage (Topical Review) 681
Botox® compared with Dysport® in primary palmar hyperhidrosis 1041
bowel-associated dermatitis–arthritis syndrome with ileo-anal pouch anastomosis, mycophenolate mofetil treatment (Correspondence) 1296
bowenoid papulosis, photodynamic therapy (Correspondence) 1297
Bowen's disease, p16^{INK4a} expression 1006
bullous pemphigoid, localized, topical tacrolimus therapy (Correspondence) 1079
bupropion and generalized acute urticaria (Correspondence) 660
burn scar, cutaneous angiosarcoma arising in, G-CSF production (Case Report) 1273
Buruli ulcer in a visitor to London (Correspondence) 907
buttocks, subcutaneous nodules as manifestation of dialysis-related amyloidosis (Case Report) 400

cadherins, reciprocal altered expression of T-cadherin and P-cadherin in psoriasis 268
calcipotriol
comparison with Exorex coal tar preparation in plaque type psoriasis 350
topical, in combination with phototherapy in psoriasis 146
calprotectin expression upregulation by proinflammatory cytokines in cultured human keratinocytes 484
cancer
association with Rosai–Dorfman disease (Correspondence) 1085
dermatological aspects of NHS National Cancer Data Project (Correspondence) 1089
following occupational exposure to pesticides (Correspondence) 1088
management of regional lymph nodes (Topical Review) 919
see also non-melanoma skin cancer *and specific types*
Candida onychomycosis, randomized trial of amorolfine with itraconazole and itraconazole alone 151
carbamazepine-induced hypersensitivity syndrome associated with transient hypogammaglobulinaemia and reactivation of HHV-6 infection (Case Report) 165
carcinogenesis, acceleration in mouse skin after topical tacrolimus application 960
Castleman's disease with paraneoplastic pemphigus 1143
CCR4 receptor expression on CCR10+ lymphocytes in atopic dermatitis but not psoriasis 457
CD10 expression in cutaneous B-cell lymphoma, support for a follicle centre cell origin and differential diagnostic significance 1183
CDw60, reduced epidermal expression in perilesional skin in expanding vitiligo lesions 739
Celestone Cronodose®, intralesional, allergic reaction to (Correspondence) 894
charcoal, oral activated, administration in variegate porphyria resulting in paradoxical clinical and biochemical deterioration (Concise Communication) 1266
childhood, prospective study of prevalence and incidence of atopic dermatitis in infancy and childhood 1023

chloramine T, tolerability and efficacy of in comparison with N-chlorotaurine in treatment of chronic leg ulcers with purulent coating 590
N-chlorotaurine, tolerability and efficacy of in comparison with chloramine T in treatment of chronic leg ulcers with purulent coating 590
chromosome 12q13, autosomal recessive exfoliative ichthyosis with linkage to (Case Report) 174
chronic myelogenous leukaemia, panniculitis in, treatment with imatinib (Correspondence) 678
ciclopirox, *in vitro* susceptibility testing against dermatophytes and nondermatophytes 296
ciclosporin
in pustular vasculitis with T-cell large granular lymphocyte proliferation and myelodysplasia (Correspondence) 893
response of cold urticaria (Correspondence) 214
sebaceous gland hyperplasia induced by (Correspondence) 198
treatment of juvenile pityriasis rubra pilaris (Correspondence) 202
Clark naevi, dermoscopic classification and discrimination between benign and malignant melanocytic lesions 1159
clear cell eccrine porocarcinoma with extensive cutaneous metastasis and peripheral lymphocyte dysfunction (Case Report) 1059
coal tar, comparison of Exorex preparation with calcipotriol cream in plaque type psoriasis 350
cold urticaria, response to systemic ciclosporin (Correspondence) 214
complementary medicine in secondary care of children with atopic dermatitis in Leicester 566
condylomata acuminata, *in vivo* fluorescence kinetics and photodynamic therapy 972
construction industry, occupational skin disease 1165
contact allergy, methylisothiazolinones elicit increased Th1- and Th2-like cytokine production by peripheral blood mononuclear cells 1172
contact dermatitis and quality of life 452
corneocyte maturation patterns in fresh scars 749
corticosteroids
topical, systemic side-effects (Clinical Cameo) 417
topical and intralesional, response of cutaneous Rosai–Dorfman disease (Correspondence) 672
Crohn's disease, pyostomatitis vegetans associated, treatment with infliximab and methotrexate (Case Report) 181
cutaneous B-cell lymphoma, Bcl-2, Bcl-6 and CD10 expression, support for a follicle centre cell origin and differential diagnostic significance 1183
cutaneous delayed hypersensitivity reactions induced in mice sensitized with intragastrically administered hapten 475
cutaneous drug reactions, 6-month prospective survey in a hospital setting 1018
cutaneous large cell CD30+ lymphoma in renal transplant recipient (Correspondence) 426
cutaneous lupus erythematosus, chronic, milia en plaque as novel manifestation (Correspondence) 424
cutaneous lymphoma other than mycosis fungoides in Singapore 542
cutaneous T-cell lymphoma
alopecia reversed by bexarotene (Correspondence) 193
and atopy 1013
interaction of cells with reactive T cells and dendritic cells: implications for dendritic cell-based immunotherapy 1128
mycosis fungoides type, clinical scoring system to improve sensitivity and standardization of diagnosis 513
primary, guidelines for management 1095
cutaneous vasculitis coexisting with thrombosis in childhood-onset SLE with antiphospholipid antibodies (Correspondence) 439
cytokeratins, immunohistochemical study in trichilemmoma 99

DANAOS 801
Darier's disease
photodynamic therapy 606
segmental (Case Report) 185
Dead Sea extract, under-the-counter selling (Correspondence) 206
defibrotide treatment of disseminated granuloma annulare (Correspondence) 437
delayed pressure urticaria, effect of high-dose intravenous immunoglobulin 836
dendritic cell interaction with cutaneous lymphoma cells and reactive T cells: implications for dendritic cell-based immunotherapy 1128
dermatitis herpetiformis, long-term remission in patients on normal diet 968
dermatitis herpetiformis Duhring with palmoplantar keratosis (Correspondence) 1300
dermatology departments in the Scottish National Health Service, legal claims 111
Dermatology Life Quality Index, sensitivity to clinical changes in psoriasis 318
dermoscopy

classification of atypical melanocytic naevi and discrimination between benign and malignant melanocytic lesions 1159
computer description of colours in melanocytic lesion images reproducing clinical assessment 523
evaluation of fluids and application techniques 59
long-term follow-up of melanocytic naevi 79
desmocollin 3, enhanced cytoplasmic expression in epidermal rete ridges in Dowling–Degos syndrome (Correspondence) 1293
diabetes mellitus, elevated matrix metalloproteinase production from dermal fibroblasts 13
diagnostic and neural analysis of skin cancer 801
dialysis-related amyloidosis, subcutaneous nodules on buttocks as manifestation (Case Report) 400
dihydroxyacetone, factors influencing sunless tanning with 332
dithranol in combination with broadband UVB in psoriasis, optimization of frequency of outpatient short-contact treatment 1259
Dowling–Degos syndrome, enhanced cytoplasmic expression of desmocollin 3 in epidermal rete ridges (Correspondence) 1293
doxycycline, high-level UVA photoprotection needed to prevent phototoxicity (Correspondence) 213
drug reactions, cutaneous, 6-month prospective survey in a hospital setting 1018
Dysport® compared with Botox® in primary palmar hyperhidrosis 1041
dystrophic epidermolysis bullosa, distinction between dominant and recessive forms 810

eccrine syringofibroadenoma with diffuse plantar hyperkeratosis (Correspondence) 885
ED1 gene missense mutation in anhidrotic ectodermal dysplasia with prominent milia-like facial sebaceous papules (Correspondence) 443
Ehlers–Danlos syndrome, reduced skin thickness as new minor diagnostic criterion for classical and hypermobility types (Concise Communication) 850
elastin, marked longevity in humans, and aspartic acid racemization 951
enoxacin, randomized controlled trial of phototoxicity 1232
eosinophilic vasculitis, recurrent cutaneous, adjuvant therapy with suplatast tosilate (Correspondence) 901
epidermal regeneration, immunohistological distribution of tight junction components ZO-1 and occludin 255
epidermodysplasia verruciformis, frequency of detection of association with HPV in childhood psoriasis 819
epidermolysis bullosa simplex, generation and characterization of cell lines 46
epithelioid granuloma in chronic post-transplantation GVHD (Correspondence) 898
eruptive seborrhoeic keratosis in HIV infection, coincidence or sign of Leser-Trélat (Correspondence) 435
erythema annulare centrifugum induced by generalized *Phthirus pubis* infestation (Clinical Cameo) 1291
erythema multiforme
with inflammatory ringworm on the hand (Correspondence) 1078
lesions resembling in syphilis (Correspondence) 658
erythrodermic cutaneous T-cell lymphoma with CD8+CD56+ leukaemic T cells in a young woman (Correspondence) 891
eumelanin content of depigmented and repigmented skin in vitiligo (Concise Communication) 624
exanthem, atypical, and polymerase chain reaction (Clinical Cameo) 189
Exorex coal tar preparation, comparison with calcipotriol cream in plaque type psoriasis 350

facial skin, photoageing, clinical efficacy of cream containing 5α-lipoic acid 841
familial hypercholesterolaemia, xanthogranuloma development at puberty in boy under long-term low-density lipoprotein apheresis and drug therapy (Correspondence) 1302
fibroblasts
diabetic dermal, elevated production of matrix metalloproteinases 13
human dermal, smads regulate collagen gel contraction by 464
UVA1-irradiated, protective and determining factors for overall lipid peroxidation 341
fibroma, solitary sclerotic of the lip (Correspondence) 433
fingers, goblet cell-predominant high-grade mucoepidermoid carcinoma of index finger (Correspondence) 1091
fixed drug eruption due to Japanese herbal drug 'kakkon-to' (Correspondence) 1303
fragrance allergy, frequency increase with age 986
fumaric acid ester
efficacy of monotherapy in psoriasis pustulosa palmoplantaris (Correspondence) 220

long-term safety aspects of systemic therapy in severe psoriasis 363

galactosialidosis (Case Report) 405
Gardner syndrome, concomitant occurrence of multiple epidermal cysts, osteomas and thyroid gland nodules in absence of intestinal polyposis (Case Report) 877
G-CSF production by cutaneous angiosarcoma arising in burn scar (Case Report) 1273
gemcitabine monotherapy in psoriasis (Correspondence) 1306
Germany, epidemiology of melanoma and non-melanoma skin cancer in Schleswig-Holstein 1200
giant actinic porokeratosis of the scalp (Clinical Cameo) 654
giant congenital naevus, melanoma occurring at periphery following laser therapy (Correspondence) 886
glabellar frown lines, reproducibility of four-point severity score 306
graft-versus-host disease
chronic post-transplantation, epithelioid granuloma in (Correspondence) 898
eruptive angiomatous lesions associated (Correspondence) 667
granulocyte colony-stimulating factor production by cutaneous angiosarcoma arising in burn scar (Case Report) 1273
granuloma annulare
disseminated, treatment with defibrotide (Correspondence) 437
pustular generalized (Case Report) 866
granuloma faciale, new treatment modalities (Case Report) 634
GVHD *see* graft-versus-host disease

Hailey–Hailey disease, novel mutations of *ATP2C1* gene in Chinese patients 471
hair
darkening following treatment of disseminated granuloma annulare with defibrotide (Correspondence) 437
effects of minoxidil, pyrithione zinc and a combination of both on density 354
loss following treatment of acromegaly with octreotide (Correspondence) 655
significance of iron status in hair loss in women (Correspondence) 428
hairless mice, effect of dry environment on mast cell number and histamine content in dermis 240
hand eczema, risk factors influencing development in population-based twin sample 1214
Henoch–Schönlein purpura in pregnancy (Case Report) 1282
hepatitis B virus infection with cutaneous polyarteritis nodosa (Correspondence) 914
hepatitis C virus infection
chronic, cutaneous side-effects of treatment by interferon-α and ribavirin (Correspondence) 656
interferon-α therapy, hyperpigmentation due to (Case Report) 390
herpes, extensive cutaneous, following meningococcal meningitis (Correspondence) 1077
herpes simplex virus, rapidly growing ulcerative genital mass due to in HIV infected woman (Correspondence) 216
hidradenitis suppurativa
infliximab therapy 1046
suggestions for uniform outcome variables when reporting treatment effects (Correspondence) 211
histamine, effect of dry environment on content in dermis in hairless mice 240
histamine H_3 receptors, involvement in scratching behaviour in mast-cell deficient mice 17
HIV infection
cutaneous warts, HPV detection and typing 1192
and eruptive seborrhoeic keratosis, coincidence or sign of Leser-Trélat (Correspondence) 435
rapidly growing ulcerative genital mass due to herpes simplex virus in female patient (Correspondence) 216
HLA-DR, increased epidermal expression in perilesional skin in expanding vitiligo lesions 739
HTLV-1-associated myelopathy, histopathological and immunohistochemical assessment of acquired ichthyosis 776
human herpesvirus-6 infection associated with carbamazepine-induced hypersensitivity syndrome and transient hypogammaglobulinaemia (Case Report) 165
human papillomavirus
detection and typing in cutaneous warts of patients with HIV infection 1192
frequency of detection of association with epidermodysplasia verruciformis in children with psoriasis 819
presence of broad spectrum of types in skin of Australian patients with non-melanoma skin cancers and solar keratosis 64

hypercalcaemia, severe, with disseminated cutaneous *Mycobacterium haemophilum* infection in failed renal transplant recipient (Correspondence) 200
hypercholesterolaemia in psoriasis, clinical dilemma (Correspondence) 1305
hyperhidrosis, palmar, peripheral nerve blockade as local anaesthesia in treatment of (Topical Review) 447
hyperoxaluria, primary, widespread cutaneous oxalosis in (Clinical Cameo) 1075
hyperpigmentation during interferon-α therapy for chronic hepatitis C virus infection (Case Report) 390
hypogammaglobulinaemia, transient, associated with carbamazepine-induced hypersensitivity syndrome and reactivation of HHV-6 infection (Case Report) 165

ICAM-1 *see* intercellular adhesion molecule-1
ichthyosis, acquired, in HTLV-1-associated myelopathy, histopathological and immunohistochemical assessment 776
ileo-anal pouch anastomosis, BADAS-associated, mycophenolate mofetil treatment (Correspondence) 1296
imatinib treatment of panniculitis in chronic myelogenous leukaemia (Correspondence) 678
imiquimod
resolution of vulvitis circumscripta plasmacellularis following treatment (Case Report) 638
response of basal cell carcinoma and pigmentary changes in xeroderma pigmentosum (Case Report) 858
immunotherapy, dendritic cell-based 1128
incontinentia pigmenti and nail dystrophy (Case Report) 1286
infliximab
in hidradenitis suppurativa 1046
in treatment of pyostomatitis vegetans associated with Crohn's disease (Case Report) 181
intercellular adhesion molecule-1, methotrexate inhibition of proliferation and regulation of expression by cultured human umbilical vein endothelial cells 30
interferon-α in chronic hepatitis C virus infection
cutaneous side-effects (Correspondence) 656
hyperpigmentation due to (Case Report) 390
interleukin IL-10 promoter polymorphism IL10.G and familial early onset psoriasis (Concise Communication) 381
intravenous immunoglobulin
high-dose
effect on delayed pressure urticaria 836
in treatment of cutaneous and systemic manifestations of scleromyxoedema (Case Report) 1276
treatment of linear IgA disease (Correspondence) 912
iron status, significance in female hair loss (Correspondence) 428
itraconazole
in vitro susceptibility testing against dermatophytes and nondermatophytes 296
randomized trial of amorolfine with itraconazole and itraconazole alone in *Candida* onychomycosis 151

Joint British Association of Dermatologists and UK Cutaneous Lymphoma Group, guidelines for management of primary cutaneous T-cell lymphoma 1095

kakkon-to, extensive fixed drug eruption due to (Correspondence) 1303
Kaposi's sarcoma, matrix metalloproteinases in (Correspondence) 905
keratinocytes
arsenic activation of extracellular signal-regulated kinases by epidermal growth factor receptor-mediated pathway 1116
cultured human, upregulation of calprotectin expression by proinflammatory cytokines 484
patterns of melanosome distribution as determining factor in skin colour 498
ketoconazole, *in vitro* susceptibility testing against dermatophytes and nondermatophytes 296
KLK8-deficient mice, prolonged recovery of UVB-irradiated skin 700
KUVA stimulation of proliferation and melanogenesis in normal human melanocytes and melanoma cells *in vitro* 707

LAGE-1 protein, seroreactivity against in melanoma patients 282
lamellar ichthyosis, cross-linked envelopes in nail plate (Concise Communication) 1050
Langerhans cells, murine epidermis, lack of effect of pimecrolimus (Concise Communication) 853
laser therapy
melanoma occurring at periphery of giant congenital naevus following (Correspondence) 886
psoriasis 1250
pulsed dye, efficacy of treatment of port wine stain malformations of the lower limb 770
red ink tattoo reactions 94

legal claims in Scottish National Health Service dermatology departments 111
leg ulcers
chronic with purulent coating, tolerability and efficacy of N-chlorotaurine in comparison with chloramine T 590
percentage change in ulcer area as prognostic index of healing (Correspondence) 896
leishmaniasis, experimental murine cutaneous, clinical and neuroimmunological alterations induced by acute immobilization stress 731
levofloxacin, randomized controlled trial of phototoxicity 1232
lifestyle differences in twin pairs discordant for basal cell carcinoma 115
linear IgA disease
IgA and IgG response to dermal antigens (Concise Communication) 1055
intermolecular epitope spreading associated with IgA rather than IgG antibodies 977
treatment with salazosulphapyridine and intravenous immunoglobulin (Correspondence) 912
lip, solitary sclerotic fibroma (Correspondence) 433
lipoma
intramuscular, post-traumatic origin (Correspondence) 1084
subungual (Clinical Cameo) 418
livedoid vasculopathy, intractable, successful treatment with hyperbaric oxygen (Case Report) 647
livedo reticularis, induction by amantadine (Correspondence) 656
lupus erythematosus, photosensitivity in 131
lymph nodes
detection of non-melanoma skin cancer micrometastases 998
regional, management in cancer (Topical Review) 919
lymphopenia, idiopathic CD4, recurrent 'sterile' verrucous cyst abscesses and epidermodysplasia verruciformis-like eruption associated (Case Report) 627

MAGE-A protein, seroreactivity against in melanoma patients 282
mal de Meleda, novel missense mutation in gene encoding SLURP-1 1108
malignant atrophic papulosis, successful treatment with nicotine patches (Correspondence) 660
β-mannosidosis, morphological and biochemical studies and identification of novel β-mannosidase gene mutation 23
mast-cell deficient mice, involvement of histamine H_3 receptors in scratching behaviour 17
mast cells
effect of dry environment on numbers in dermis in hairless mice 240
evidence for altered proliferation and apoptosis in cutaneous mastocytosis 554
mastocytosis, cutaneous, evidence for altered mast cell proliferation and apoptosis in 554
matrix metalloproteinases
elevated production from diabetic dermal fibroblasts 13
in Kaposi's sarcoma (Correspondence) 905
MDM *see* mal de Meleda
melanocytes, *in vitro* stimulation of proliferation and melanogenesis by KUVA 707
melanocytic lesions, computer description of colours in dermoscopic images reproducing clinical assessment 523
melanocytic naevi
atypical, dermoscopic classification and discrimination between benign and malignant melanocytic lesions 1159
long-term dermoscopic follow-up 79
melanoma
epidemiology in Schleswig-Holstein, Germany 1200
in vitro stimulation of proliferation and melanogenesis in cells by KUVA 707
lymphatic spread mimicking Kaposi-like angiodermatitis (Correspondence) 909
metallothionein overexpression as prognostic factor for progression and survival 535
occurrence at periphery of giant congenital naevus previously treated with laser therapy (Correspondence) 886
quantitative estimate of mortality from UVA sunbed use in the UK 578
relation between p53 expression and physical site (Correspondence) 1299
retinopathy associated 74
seroreactivity against MAGE-A and LAGE-1 proteins 282
surgical treatment (Topical Review) 2
thin cutaneous, disease progression 788
tumour regression as predictor of higher risk of sentinel node involvement (Correspondence) 662
tyrosine phosphate in progression 289
melanosomes, patterns of distribution in keratinocytes as determining factor in skin colour 498
melasma, development and validation of a health-related quality of life instrument 572

meningococcal meningitis, extensive cutaneous herpes following (Correspondence) 1077
metallosis of skin mimicking malignant tumour (Clinical Cameo) 653
metallothionein overexpression as prognostic factor for progression and survival in melanoma 535
methotrexate
inhibition of proliferation and regulation of ICAM-1 and VCAM-1 expression by cultured human umbilical vein endothelial cells 30
in treatment of pyostomatitis vegetans associated with Crohn's disease (Case Report) 181
methylisothiazolinones elicit increased Th1- and Th2-like cytokine production by peripheral blood mononuclear cells in contact allergy 1172
milia en plaque as manifestation of chronic cutaneous lupus erythematosus (Correspondence) 424
minerals, topical, as modulators of environmental and chronological skin damage (Topical Review) 681
minocycline, stain devil (Review) 237
minoxidil, effects of minoxidil, pyrithione zinc and a combination of both on hair density 354
mosaicism, pigmentary, with mosaic chromosome 5p tetrasomy (Case Report) 414
mucoepidermoid carcinoma, goblet cell-predominant high-grade, of index finger (Correspondence) 1091
mycobacterial infection, nontuberculous, confirmation by biochemical tests, PCR-restriction fragment length polymorphism analysis and *hsp65* gene sequencing (Case Report) 642
Mycobacterium haemophilum, disseminated cutaneous infection with severe hypercalcaemia in failed renal transplant recipient (Correspondence) 200
Mycobacterium vaccae, effect on atopic dermatitis in childhood 1029
mycophenolate mofetil
evaluation of usefulness in pemphigus 138
treatment of bowel-associated dermatitis–arthritis syndrome associated with ileo-anal pouch anastomosis (Correspondence) 1296
treatment of sarcoidosis (Correspondence) 442
mycosis fungoides-type cutaneous T-cell lymphoma, clinical scoring system to improve sensitivity and standardization of diagnosis 513
myelodysplasia with pustular vasculitis and T-cell large granular lymphocyte proliferation, ciclosporin treatment (Correspondence) 893
myelodysplastic syndrome associated with blastic natural-killer cell lymphoma (Case Report) 869
myelogenous leukaemia associated with blastic natural-killer cell lymphoma (Case Report) 869
myelopathy, HTLV-1-associated, histopathological and immunohistochemical assessment of acquired ichthyosis 776
myofibroblast cell, pioglitazone-induced death, implications for cutaneous scarring (Correspondence) 665

naevus sebaceous, multiple pigmented trichoblastomas and syringocystadenoma papilliferum mimicking melanoma (Case Report) 1067
nail plate, cross-linked envelopes in lamellar ichthyosis (Concise Communication) 1050
nails
dystrophy and incontinentia pigmenti (Case Report) 1286
ectopic plantar (Case Report) 1071
psoriasis, tazarotene gel (Correspondence) 207
natural killer cells circulating in psoriasis (Concise Communication) 160
Netherton's syndrome, topical treatment with tacrolimus ointment without significant systemic absorption (Correspondence) 224
neuropsin-deficient mice, prolonged recovery of UVB-irradiated skin 700
NHS National Cancer Data Project, dermatological aspects (Correspondence) 1089
nickel, provocative use test of nickel coins in sensitized subjects and controls 311
nicotine patches, successful treatment of malignant atrophic papulosis (Correspondence) 660
nodules on the buttocks as manifestation of dialysis-related amyloidosis (Case Report) 400
non-melanoma skin cancer
detection of lymph node micrometastases 998
epidemiology in Schleswig-Holstein, Germany 1200
presence of broad spectrum of HPV types in skin of Australian patients 64
prospective study of incidence and risk factors in Spanish Mediterranean population of renal transplant recipients 1221
sentinel lymphonodectomy 763
nosocomial infection surveillance in dermatology patients in German university hospital (Concise Communication) 620

oak processionary caterpillar as cause of epidemic airborne disease 990
occludin, immunohistological distribution in regenerating human epidermis 255
occupational skin disease in the construction industry 1165

octreotide, hair loss following treatment of acromegaly (Correspondence) 655
oleoma, bodybuilder (Clinical Cameo) 1289
onchocerciasis, cutaneous pathology associated with pronounced systemic T-helper 2-type responses 782
onychomycosis, *Candida*, randomized trial of amorolfine with itraconazole and itraconazole alone 151
oral pyoderma gangrenosum (Correspondence) 663
oxalosis, widespread cutaneous in primary hyperoxaluria (Clinical Cameo) 1075
oxidants, environmental, evidence for link with changing prevalence and nature of atopic dermatitis in Japan 248
oxygen, hyperbaric, successful treatment of intractable livedoid vasculopathy (Case Report) 647

p16, enhanced expression in seborrhoeic keratosis 560
$p16^{INK4a}$ expression in actinic keratosis and Bowen's disease 1006
p53, relation between expression and physical site of melanoma (Correspondence) 2010
palmar hyperhidrosis
comparative study of Dysport® vs. Botox® 1041
peripheral nerve blockade as local anaesthesia in treatment of (Topical Review) 447
palmoplantar keratosis with dermatitis herpetiformis Duhring (Correspondence) 1300
panniculitis
in chronic myelogenous leukaemia, treatment with imatinib (Correspondence) 678
secondary to extravasation of clarithromycin in $\alpha_1$antitrypsin deficiency (Case Report) 410
paraneoplastic pemphigus with Castleman's disease 1143
pemphigoid gestationis, maternal sera recognition of epitopes restricted to the N-terminal portion of extracellular domain of BP180 (Correspondence) 420
pemphigus
evaluation of usefulness of mycophenolate mofetil 138
guidelines for management 926
removal of pathogenic autoantibodies by immunoadsorption with tryptophan-linked polyvinylalcohol adsorber 598
pemphigus foliaceus, treatment-resistant, rapid response to rituximab (Correspondence) 899
penis, recurrent primary CD30+ lymphoma (Correspondence) 903
peripheral nerve blockade as local anaesthesia in treatment of palmar hyperhidrosis (Topical Review) 447
peroxisome proliferator-activated receptors in cutaneous biology (Topical Review) 229
pesticides, multiple skin cancers following occupational exposure (Correspondence) 1088
phaeomelanin content of depigmented and repigmented skin in vitiligo (Concise Communication) 624
pharyngeal squamous carcinoma, Sweet's syndrome as complication of radiotherapy (Clinical Cameo) 884
photoageing
facial skin, clinical efficacy of cream containing 5α-lipoic acid 841
histological features of chronic skin inflammation without clinical and molecular abnormalities 826
photodynamic therapy
basal cell carcinoma
in patients prone to complications and poor cosmetic outcome with conventional treatment 1242
pulsed ultrasound measurements in depth and regression following 1035
role of apoptosis in healing mechanism (Correspondence) 205
bowenoid papulosis (Correspondence) 1297
condylomata acuminata 972
Darier's disease 606
effect of an iron chelating agent on protoporphyrin IX levels and phototoxicity 124
plane warts (Correspondence) 1087
photosensitivity
in lupus erythematosus 131
in Sweet's syndrome (Correspondence) 675
phototherapy
in combination with topical calcipotriol in psoriasis 146
factors affecting choice of a ceiling on number of exposures (Correspondence) 428
study of correction factor for UV dose measurements made by indirect method 1227
phototoxicity, effect of an iron chelating agent on in photodynamic therapy 124
Phthirus pubis infestation and erythema annulare centrifugum (Clinical Cameo) 1291
pigmentary mosaicism with mosaic chromosome 5p tetrasomy (Case Report) 414
pimecrolimus, lack of effect on Langerhans cells in murine epidermis (Concise Communication) 853
pioglitazone-induced myofibroblast cell death, implications for cutaneous scarring (Correspondence) 665

pityriasis rotunda, immunohistological characterization of Japanese case (Correspondence) 196
pityriasis rubra pilaris, juvenile, treatment with ciclosporin (Correspondence) 202
pityriasis versicolor, prevalence in young Italian sailors (Concise Communication) 1270
plantar hyperkeratosis, diffuse, with eccrine syringofibroadenoma (Correspondence) 885
plasmablastic lymphoma of the skin, post-transplant (Correspondence) 889
polyarteritis nodosa, cutaneous, with precore mutant hepatitis B infection (Correspondence) 914
polymerase chain reaction in atypical exanthem (Clinical Cameo) 189
porokeratosis palmaris et plantaris disseminata, identification of locus 261
port wine stain of a lower limb, efficacy of pulsed dye laser therapy 770
pregnancy, Henoch–Schönlein purpura in (Case Report) 1282
primary CD30+ lymphoma of the penis, recurrent (Correspondence) 903
protein oxidative damage to stratum corneum 248
protoporphyrin IX, effect of an iron chelating agent on levels in photodynamic therapy 124
pruritic skin disorders, diagnostic value of ELISA using BP180 recombinant proteins (Correspondence) 910
pruritus
  induced by transverse myelitis (Correspondence) 204
  neurogenic (Correspondence) 204
  uraemic, lack of response to broadband and narrowband UVB therapy (Correspondence) 888
pseudoainhum in chronic psoriasis (Case Report) 1064
psoriasis
  chronic, with pseudoainhum (Case Report) 1064
  chronic plaque, streptococcal throat infection and exacerbation 530
  circulating natural killer cells (Concise Communication) 160
  combination of UVB phototherapy and topical calcipotriol 146
  development of PSORIQoL, a psoriasis-specific quality of life measure designed for use in clinical practice and trials 323
  dramatic improvement with gemcitabine monotherapy (Correspondence) 1306
  exacerbation by thalidomide in Behçet's syndrome (Correspondence) 432
  facial, topical tacrolimus treatment (Correspondence) 419
  familial early onset, and IL-10 promoter polymorphism IL10.G (Concise Communication) 381
  frequency of detection of association of HPV with epidermodysplasia verruciformis in childhood 819
  and hypercholesterolaemia, clinical dilemma (Correspondence) 1305
  laser therapy 1250
  multiparameter flow cytometric analysis of effect of bexarotene on epidermis 506
  nails, tazarotene gel (Correspondence) 207
  optimization of frequency of outpatient short-contact dithranol treatment in combination with broadband UVB 1259
  plaque, comparison of Exorex coal tar preparation and calcipotriol cream 350
  pruritogenic mediators, comparative evaluation of itch-associated cutaneous factors 718
  uantitative review of studies comparing efficacy of narrow-band and broad-band UVB (Correspondence) 669
  reciprocal altered expression of T-cadherin and P-cadherin 268
  sensitivity of Dermatology Life Quality Index to clinical changes in psoriasis 318
  severe, long-term safety aspects of systemic therapy with fumaric acid esters 363
  and stigmatization (Correspondence) 209
  thermosensory abnormalities and blood flow dysfunction in skin 492
  topical PTH (1-34) as novel, safe and effective treatment 370
  treated with ciclosporin and infliximab, and CD30+ T-cell lymphoma (Case Report) 170
psoriasis pustulosa palmoplantaris, efficacy of fumaric acid ester monotherapy (Correspondence) 220
PSORIQoL, a psoriasis-specific quality of life measure designed for use in clinical practice and trials 323
PTH (1-34) as novel, safe and effective topical psoriasis treatment 370
pustular vasculitis with T-cell large granular lymphocyte proliferation and myelodysplasia, ciclosporin treatment (Correspondence) 893
pyoderma gangrenosum, oral (Correspondence) 663
pyostomatitis vegetans associated with Crohn's disease, treatment with infliximab and methotrexate (Case Report) 181
pyrithione zinc, effects of minoxidil, pyrithione zinc and a combination of both on hair density 354

quality of life
  and contact dermatitis 452

development of PSORIQoL, a psoriasis-specific quality of life measure designed for use in clinical practice and trials 323
development and validation of a health-related instrument for women with melasma 572
sensitivity of Dermatology Life Quality Index to clinical changes in psoriasis 318

radiotherapy
extraocular sebaceous carcinoma (Correspondence) 441
pharyngeal squamous carcinoma, Sweet's syndrome as complication (Clinical Cameo) 884
raised limb bands developing in infancy (Correspondence) 436
red ink tattoo reactions, laser therapy 94
reduced skin thickness as new minor diagnostic criterion for classical and hypermobility types of Ehlers–Danlos syndrome (Concise Communication) 850
Reductil® *see* sibutramine
renal transplant
failed, disseminated cutaneous *Mycobacterium haemophilum* infection with severe hypercalcaemia (Correspondence) 200
primary cutaneous large cell CD30+ lymphoma in recipient (Correspondence) 426
prospective study of incidence of skin cancer and risk factors in Spanish Mediterranean population of recipients 1221
research output in dermatology, quantitative ranking of share (Correspondence) 218
research snippets 1
reticulohistiocytosis, unusual presentation of congenital self-healing (Clinical Cameo) 191
retinopathy, melanoma-associated 74
ribavirin, cutaneous side-effects of treatment of chronic hepatitis C virus infection (Correspondence) 656
ringworm, inflammatory on the hand, with erythema multiforme (Correspondence) 1078
rituximab, response of treatment-resistant pemphigus foliaceus (Correspondence) 899
Rosai–Dorfman disease
association with malignancy (Correspondence) 1085
response to topical and intralesional steroids (Correspondence) 672

salazosulphapyridine treatment of linear IgA disease (Correspondence) 912
sarcoidosis
coexistence of sarcoidal granuloma and histological changes consistent with dermatomyositis (Correspondence) 430
treatment with mycophenolate mofetil (Correspondence) 442
scabies, seasonality trends in young adult population (Concise Communication) 157
scalp, giant actinic porokeratosis (Clinical Cameo) 654
scars, stratum corneum lipid profile and corneocyte maturation pattern 749
scleromyxoedema, treatment of cutaneous and systemic manifestations with high-dose intravenous immunoglobulin (Case Report) 1276
Scottish National Health Service dermatology departments, legal claims 111
scratching behaviour in mast-cell deficient mice, involvement of histamine H_3 receptors 17
sebaceous carcinoma, extraocular, radiotherapy (Correspondence) 441
sebaceous gland hyperplasia, ciclosporin-induced (Correspondence) 198
seborrhoeic keratosis, enhanced p16 expression in 560
self-reported skin complaints 794
sentinel lymphonodectomy in non-melanoma skin cancer 763
Sézary syndrome, prognostic factors 1152
sibutramine, severe bullous drug eruption due to (Correspondence) 215
sign of Leser-Trélat and eruptive seborrhoeic keratosis in HIV infection (Correspondence) 435
Singapore, cutaneous lymphoma other than mycosis fungoides 542
sitafloxacin, randomized controlled trial of phototoxicity 1232
skin complaints, self-reported 794
skin damage, environmental and chronological, modulation by topical vitamins, minerals and botanical ingredients (Topical Review) 681
SLURP-1, novel missense mutation in gene encoding in mal de Meleda 1108
smads regulation of collagen gel contraction by human dermal fibroblasts 464
solar keratosis, presence of broad spectrum of HPV types in skin of Australian patients 64
solitary sclerotic fibroma of the lip (Correspondence) 433
sparfloxacin, randomized controlled trial of phototoxicity 1232
specialist dermatology nurse, comparison of parent knowledge, therapy utilization and severity of atopic dermatitis before and after explanation of topical therapies by 582

squamous cell carcinoma, pigmented, epiluminescence microscopic observation (Correspondence) 1292
stigmatization and psoriasis (Correspondence) 209
stratum corneum
lipid profile in scars 749
protein oxidative damage 248
streptococcal throat infection and exacerbation of chronic plaque psoriasis 530
subungual lipoma (Clinical Cameo) 418
sunbeds, quantitative estimate of melanoma mortality from UVA sunbed use in the UK 578
sunless tanning with dihydroxyacetone, factors influencing 332
suplatast tosilate, adjuvant therapy of recurrent cutaneous eosinophilic vasculitis (Correspondence) 901
Sweet's syndrome
as complication of radiotherapy for pharyngeal squamous carcinoma (Clinical Cameo) 884
photosensitivity in (Correspondence) 675
syphilis, erythema multiforme-like lesions (Correspondence) 658
syringocystadenoma in naevus sebaceous (Case Report) 1067
systemic lupus erythematosus, childhood onset with antiphospholipid antibodies, coexistence of cutaneous vasculitis and thrombosis (Correspondence) 439

tacrolimus, topical
and acceleration of carcinogenesis in mouse skin 960
in facial psoriasis (Correspondence) 419
in localized bullous pemphigoid (Correspondence) 1079
treatment of Netherton's syndrome without significant systemic absorption (Correspondence) 224
tattoos
evaluation of autologous cultured epithelium as replacement skin after excision (Concise Communication) 377
laser therapy of red ink reactions 94
tazarotene in psoriasis of the fingernails and toenails (Correspondence) 207
T-cell large granular lymphocyte proliferation with myelodysplasia and pustular vasculitis, ciclosporin treatment (Correspondence) 893
T-cell lymphoma
CD30+, in patient with psoriasis treated with ciclosporin and infliximab (Case Report) 170
subcutaneous panniculitis-like, detection of circulating lymphoma cells in (Correspondence) 1081
T cells
cutaneous pathology associated with pronounced systemic T-helper 2-type responses in onchocerciasis 782
interaction with cutaneous lymphoma cells and dendritic cells: implications for dendritic cell-based immunotherapy 1128
terbinafine, *in vitro* susceptibility testing against dermatophytes and nondermatophytes 296
thalidomide, exacerbation of psoriasis in Behçet's syndrome (Correspondence) 432
thrombosis, coexistence with cutaneous vasculitis in childhood onset SLE with antiphospholipid antibodies (Correspondence) 439
toxic epidermal necrolysis, transient verrucous hyperplasia following (Correspondence) 1082
tranilast treatment of granulomatous blepharitis (Correspondence) 222
transverse myelitis, pruritus induced by (Correspondence) 204
triamcinolone acetonide in Transfersome®, improved risk-benefit ratio in comparison with equipotent cream and ointment 611
trichilemmoma, immunohistochemical study of cytokeratins 99
trichoblastoma, multiple pigmented, in naevus sebaceous (Case Report) 1067
trichoepithelioma, multiple with unusual appearance (Correspondence) 674
twin studies, lifestyle differences in twin pairs discordant for basal cell carcinoma 115
tyrosine phosphate in melanoma progression 289

ultraviolet radiation
lack of response of uraemic pruritus to broadband and narrowband UVB therapy (Correspondence) 888
optimization of frequency of outpatient short-contact dithranol treatment in combination with broadband UVB in psoriasis 1259
prolonged recovery of UVB-irradiated skin in neuropsin-deficient mice 700
quantitative review of studies comparing efficacy of narrow-band and broad-band UVB in psoriasis (Correspondence) 669
study of correction factor for UV phototherapy dose measurements made by indirect method 1227
uraemic pruritus, lack of response to broadband and narrowband UVB therapy (Correspondence) 888
urticaria

delayed pressure, effect of high-dose intravenous immunoglobulin 836
generalized acute, and bupropion (Correspondence) 660

variegate porphyria, administration of oral activated charcoal resulting in paradoxical clinical and biochemical deterioration (Concise Communication) 1266
vascular cell adhesion molecule-1 (VCAM-1), methotrexate inhibition of proliferation and regulation of expression by cultured human umbilical vein endothelial cells 30
verrucous hyperplasia, transient, following toxic epidermal necrolysis (Correspondence) 1082
vitamins, topical, as modulators of environmental and chronological skin damage (Topical Review) 681
vitiligo
eumelanin and phaeomelanin contents of depigmented and repigmented skin (Concise Communication) 624
lesion expansion associated with reduced epidermal CDw60 expression and increased HLA-DR expression in perilesional skin 739
vulvitis circumscripta plasmacellularis, resolution with imiquimod (Case Report) 638

Wakayama curry-poisoning, skin manifestations of acute arsenic poisoning 757
warfarin, preoperative monitoring in cutaneous surgery (Concise Communication) 386
warts
in HIV infection, HPV detection and typing 1192
plane, photodynamic therapy (Correspondence) 1087

xanthogranuloma, development at puberty in boy with familial hypercholesterolaemia under long-term low-density lipoprotein apheresis and drug therapy (Correspondence) 2006
xeroderma pigmentosum, response to imiquimod (Case Report) 858

ZO-1, immunohistological distribution in regenerating human epidermis 255